

## **Gan-am** OUTLANDER RENEGADE

ACCESSORIES, RIDING GEAR & **GENUINE PARTS** 













## YOUR SEARCH FOR THE PERFECT ACCESSORIES STARTS & ENDS HERE

YOUR GUIDE TO ESSENTIAL FACTORY DEVELOPED AND APPROVED ACCESSORIES FOR YOUR CAN-AM.





8

<sup>1</sup>Use other than which the product is designed for will void the product lifetime warranty. 'Applies only to BRP-made products or co-branded products made by accredited BRP partners (Lonestar Racing for Can-Am, DragonFire for Can-Am, S3 for Can-Am, Beard Seats for Can-Am, Baja Designs for Can-Am, etc.). Purchased at an authorized BRP dealership / distributor or on a BRP-authorized online store. Other exclusions may apply, see ete limited warranty or contact your Can-Am off-road authorized dealer. Includes only BRP-approved aftermarket products and products made by currently accredited BRP partners. \*\*Unless otherwise s required by law. This limited warranty does not apply to factory installed accessories. This limited warranty does not apply on Evinrude parts and accessories. This limited warranty is effective as of March 1st, 2016.





Innovative accessories that are simply better, together. Fit, function and looks—right out of the box—with the peace of mind that the accessories you pick will work perfectly with hundreds of others.



## **QUALITY & RELIABILITY**

Quality and reliability so good, it comes with a 1-year warranty. We stand strong behind our Genuine Can-Am accessories... because we can. Install them yourself or at an authorized dealer and immediately upgrade your off-road vehicle without worry.



Can-Am designers develop vehicles and accessories that look and perform right because they're for riders, period. Everything in this guide is here to benefit your experience-nothing else made the cut.

## **BRP 1-YEAR** LIMITED WARRANTY\*

For new Can-Am accessories, genuine parts, and co-branded products sold through BRP1. Includes items installed by you or an authorized BRP dealer.

## Can-am. OUTLANDER RENEGADE



#### ACCESSORIES 4

- **Built Inspirations** 4
- **Compatibility Guide** 8
- LinQ: Easy On 9 Easy Off Cargo
- 17 Cargo & Storage
- 20 Windshields
- Handlebars & Mirrors 23
- 24 Seat Kits

#### **CREATE YOUR OWN WINDSHILED**

Modular windscreen protection options for any rider preference. P.20



THE POWER TO PUSH FORWARD Designed to work as efficiently as possible,

Can-Am reimagined the plow from frame to blade. P.54

5	Racks & Holders	49	Apache <sup>™</sup> Trac
8	Skid Plates	54	Promount Plo
2	Bumpers & Guards	59	Tires
7	Lights & Electrical	60	Rims
1	Winches	62	<b>RIDING GEAI</b>
3	Hitches	64	Can-Am Spor
4	Performance	65	Mud Gear
8	Covers, Decals & Add-Ons	66	Helmets



Industries. WARN is a trademark of Warn Industries Inc. YUASA is a registered trademark of YUASA Batteries Inc. ZILLA and BIGHORN 2.0 are trademarks of Maxxis. SCOTT is a trademark of Scott Sports SA. The following trademarks are the property of their respective owners: BLUETOOTH, CREE, DURO, DWT, HELLA, ITP, KENDA, MOSSY OAK, RAM, SUR LAST, VISION, XPS and YOSHIMURA. DRAGONFIRE is a trademark of KRANSCO. Baja Designs is a registered trademark of Baja Designs Inc. S3 POWERSPORTS is a trademark of S3 Power Sports LLC. Some models depicted herein may include optional equipment. Prices, if shown, are based on Manufacturer Suggested Retail Prices. Dealers may sell for a different price. For Canada and US, taxes are not included. Depending on location, products are distributed by BRP US Inc., Bombardier Recreational Products Inc., BRP European Distribution SA, BRP Finland Oy, BRP Australia Pty Ltd. or BRP Brasil Motorsports LTDA. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, equipment without incurring obligation, Printed in Canada

## CAN-AMOFFROAD.COM

© 2019 Bombardier Recreational Products Inc. (BRP). All rights re erved. 🖲 ™ and the BRP logo are trademarks of BRP or its affiliates. CARLISLE is a trademark of Carlisle Companies. CHAMUDE and HIPORA are registered trademarks of Kolon Indu Inc. CLARINO is a trademark of Kurary Co. Ltd. COOLWA's And THERMOLTE are registered trademarks of INVISTA for durable fabrics. DIRELEASE is a registered trademark of Contract registered trademark of Kurary Co. Ltd. COOLWA's and THERMOLTE are registered trademarks of INVISTA for durable fabrics. DIRELEASE is a registered trademark of COP is a registered trademark of Fox Racing Canada. GARIMIN and MONTANA are registered trademarks of Contract registered trademarks of INVISTA for durable fabrics. DIRELEASE is a registered trademark of COP is a registered trademark of Kurary Co. Ltd. COOLWA's not THERMOLTE are registered trademarks of COP is a registered trademark of Source To Katery Contract registered trademarks of Contract registered trademarks of Source To Katery Contract registered trademarks of Cop inter Inc. SOURCE is a registered trademark of Kurary Co. Ltd. COOL and PRIMALOFT BLACK are registered trademarks of Albary International Corp. TEFLON, TEFLON, TEFLON HT and KEVLAR are trademarks of Li. DuPont de Nemours & Co. TWINAIR is a trademark of TWINAIR is a trademark of Valin Air USA. UNI is a trademark of Valin CALC AIR is a registered trademark of Valin CALC AIR is a registered trademark of Valin Air USA. UNI is a trademark of UNIFILTER Inc. VELCRO is a registered trademark of Valin Air USA. UNI is a trademark of TAR TO AIR TO AIR



ack Systems	67	Dust Masks /
Plows		<b>Communication Systems</b>
	68	Goggles / Gloves / Junior
	69	Bags / Sizing Chart
AR	70	Branded Merchandise
ortswear	72	PARTS & MAINTENANCE
	72	Genuine Can-Am Parts
	78	XPS Oils & Maintenance



TAKE ON THE TOUGH TASKS WITH UTILITY UPGRADES THAT WORK SEAMLESSLY AND TIRELESSLY WITH YOU & YOUR OUTLANDER



STARTER

\_\$

ADVANCE

OUTLANDER

	715001215	LinQ Heavy-Duty Basket	P.15	
	715001914	8" (20 cm) Rack Extension	P.26	
	715006108	Warn VRX 35 Winch	P.41	
	+			
	715001909	Fender Flares	P.36	
	715003461	Rancher Front Bumper	P.34	
	715003462	Rancher Rear Bumper	P.34	
	715003459	Body Side Protector	P.35	
	+			
	715001945	Multi-Fit Holder	P.27	
	710005423	Ram LED Spotlight	P.39	
4	715005186	Rear Hitch Receiver	P.43	
Ч Ц	715000972	Front & Rear Hitch Drawbar	P.43	
ote †	hat price does not i	nclude installation requirements		

\*Note that price does not include installation requirements and that part numbers may vary depending on vehicle model.

#### YOU CAN FINANCE THE PURCHASE OF ACCESSORIES

with the purchase and financing of your Outlander. Ask your dealer for all the details.

# GO FARTHER WITH PROVEN TRAIL ACCESSORIES FOR ALL-DAY COMFORT & RELIABILITY

TAKE YOUR PICK: Expertly-chosen STARTER, ADVANCE, and PEAK trail packages to take your Can-Am build to another level. Or simply mix and match and create your own package.



			715001749	LinQ Trunk Box Outlander Max	P.13	
			715006119	LinQ Trunk Box Pannel	P.13	
			715001232	Deluxe Fairing	P.21	
LER			715001211	High Windshield for Deluxe Fairing	P.21	
STARTER			715004837	XT Front Bumper	P.33	
ST			715004920	XT Rear Bumper	P.33	
			+			
			715001286	Extreme Front Bumper	P.35	
			715002353	Deluxe Mirror Kit	P.21	
	ADVANCE		715003115	Auxiliary Windshield Lights	P.39	
	M		715003250	Heated Hand Grips & Throttle Combo	P.37	
	AD		715001926	Heated Passenger Grips & Visor Outlet	P.37	
			+			
			715004284	Baja Design High Beam Kit	P.39	
		PEAK	715003942	Driver Backrest	P.24	
		Н	715004807	HMWPE Skid Plate	P.28	
		*Noto th	at price dece pet ir	poludo installation requiremente		

\*Note that price does not include installation requirements and that part numbers may vary depending on vehicle model.



OUTLANDER MAX

### YOU CAN FINANCE THE PURCHASE OF ACCESSORIES

with the purchase and financing of your Outlander MAX. Ask your dealer for all the details.

FINALLY ENJOY WINTER WITH COLD-WEATHER ESSENTIALS: THE CAN-AM APACHE TRACK SYSTEM & PROMOUNT PLOW K



# ADAPT QUICKLY FOR THE HUNT BY OUTFITTING THE OUTLANDER TO YOUR EXACT NEEDS

TAKE YOUR PICK: Expertly-chosen STARTER and ADVANCE packages are the best way to quickly add cold-weather upgrades-plus plow and tracks for even more winter use. Or mix and match to create your perfect snow-ready Outlander.

OUTLANDER MAX

|--|

TRACKS

PLOW

\_\$`

	715004282	LinQ Low Profile Basket	P.15	
	715003023	Extra-High Windshield Kit	P.22	
	715004815	Heated Grips & Thumb Throttle Combo	P.37	
	715001246	Heated Visor Outlet	P.37	
	+			
	715001926	Heated Passenger Grips & Visor Outlet	P.37	
	715004301	LinQ Tool Box	P.11	
	715005111	Fender Flare Extensions	P.36	
	715004293	2" (5 cm) Square LED Lights	P.39	
	715005103	Apache 360LT Track System	P.51	
	715004795	Apache 360LT Mounting Kit	P.53	
	715003063	Apache 360 LT Adaptor	P.53	
	715006109	Warn VRX 35-S Winch	P.41	
	715005202	Can-Am ProMount Flex2 60" (152 cm) Kit	P.56	
	715004204	Can-Am ProMount Push Frame Extension	P.57	
	715004207	Can-Am Promount Drift Cutters	P.58	
	715004206	Can-Am Promount Edge Markers	P.58	
a	t price does not	include installation requirements		

\*Note that and that part numbers may vary depending on vehicle model.

#### YOU CAN FINANCE THE PURCHASE OF ACCESSORIES

with the purchase and financing of your Outlander MAX. Ask your dealer for all the details.



#### TAKE YOUR PICK: Expertly-chosen STARTER, ADVANCE, and PEAK hunting packages to take your Can-Am build to another level. Or simply mix and match and create your own package.

OUTLANDER For the international market, the Squadron Green color is only available on the Outlander 570 PRO.

			715003248	LinQ Premium Storage Bag by Ogio	P.15	
TER			715003021	Low Windshield kit	P.22	
STARTER			715001419	Gun Boot 6.0 Impact by Kolpin	P.27	
ST			715001918	Gun Boot Rack	P.27	
			+			
			715004282	LinQ Low Profile Basket	P.15	
			715001910	XT Front Bumper	P.33	
			715001911	XT Reat Bumper	P.33	
			715003614	Body Side Protector	P.35	
	ADVANCE		715004279	Extreme Front Bumper	P.35	
	AD		715001909	Fender Flares	P.36	
			+			
			715004199	Aluminum Skid Plate	P.29	
			715003250	Heated Grips & Thumb Throttle Combo	P.37	
		EAK	710005423	RAM LED Sportlight	P.39	
		Ш	715006415	Can-Am HD 3500 winch	P.41	
				nclude installation requirements y vary depending on vehicle model.		



#### YOU CAN FINANCE THE PURCHASE OF ACCESSORIES

with the purchase and financing of your Outlander. Ask your dealer for all the details.

## ATV ACCESSORY **COMPATIBILITY** GUIDE

#### We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your PLATFORM CODE

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

#### EXAMPLE

280000539

CARGO BAG Rugged all-purpose cargo bag

with rain cover for additional protection against the elements. - LinQ Luggage Rack (715001734) is required for G2S. G2, G2L, G2S

#### For G1 accessories. refer to your local dealer.

2013Outlander400G1Outlander MAX400G1Outlander MAX500, 650, 800, 1000G2Outlander MAX500, 650, 800, 1000G22014Outlander500, 650, 800, 1000G2Outlander MAX400G1Outlander MAX500, 650, 800, 1000G2Outlander MAX500, 650, 800, 1000G2Outlander MAX500, 650, 800, 1000G2Outlander L450, 500G2LOutlander L500, 650, 800, 1000G2Outlander L450, 500G2LOutlander L450, 500G2LOutlander L450, 500G2LOutlander L450, 500G2LOutlander L450, 570G2LOutlander L450, 570G2LOutlander L450, 570G2LOutlander L450, 570G2LOutlander L450, 570G2LOutlander L450, 570G2LOutlander MAX570, 650, 850, 1000G2Sea650, 800, 1000G2Ka6650, 1000G2Outlander MAX450, 570G2LOutlander MAX450, 570G2LOutlander MAX650, 850, 1000G2Sea650, 850, 1000G2Renegade570, 850, 1000G2Outlander MAX450, 570G2LOutlander MAX450, 570G2LOutlander MAX650, 850, 1000, 1000RG2Sea650, 850, 1000, 1000RG2 <tr< th=""><th>Model Year</th><th>Model</th><th>Engine Configuration</th><th>Platform Code</th></tr<>	Model Year	Model	Engine Configuration	Platform Code
Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800         G2           Renegade         500, 800, 1000         G2           2014         Outlander         400         G1           Outlander MAX         400         G1           Outlander MAX         400         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Outlander L         450, 500         G2L           Outlander L MAX         500, 650, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Outlander L         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         500, 570         G2L           <	2012	Outlander	400	G1
Outlander MAX         500, 650, 800         G2           Renegade         500, 800, 1000         G2S           20144         Outlander         400         G1           Outlander MAX         400         G1           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2           Renegade         500, 800, 1000         G2L           Outlander L         450, 500         G2L           Outlander L         450, 570         G2L           Outlander MAX         550, 580, 1000         G2           Renegade         570, 850, 1000         G2           Outlander AS7, 650, 850, 1000         G2         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2 <td>2013</td> <td>Outlander</td> <td>500, 650, 800, 1000</td> <td>G2</td>	2013	Outlander	500, 650, 800, 1000	G2
Benegade         500, 800, 1000         G2S           2014         Outlander         400         G1           Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2           Outlander L         450, 500         G2L           Outlander L         450, 500         G2L           Outlander L         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           Gax6         650, 1000         G2           Renegade         500, 800, 1000         G2           6x6         650, 1000         G2           Outlander L         450, 570         G2L           Outlander L         MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2         G2           Outlander MAX         570, 650, 850, 1000         G2         G2           Outlander MAX         570, 650, 850, 1000         G2         G2           Outlander MAX         570, 650, 850,		Outlander MAX	400	G1
2014         Outlander         400         G1           Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           Outlander MAX         500, 650, 800, 1000         G2           Outlander L MAX         450, 570         G2L           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         650, 850, 1000         G2           Outlander MAX         650, 850, 1000         G2 <t< td=""><td></td><td>Outlander MAX</td><td>500, 650, 800</td><td>G2</td></t<>		Outlander MAX	500, 650, 800	G2
2014         Outlander         500, 650, 800, 1000         G2           Outlander MAX         400         G1           Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         500, 650, 800, 1000         G2           As6         650, 1000         G2           Renegade         500, 850, 1000         G2           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           K6         650, 1000         G2           K76         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2		Renegade	500, 800, 1000	G2S
Outlander500, 650, 800, 1000G2Outlander MAX400G1Outlander MAX500, 650, 800, 1000G2Renegade500, 800, 1000G2SOutlander L450, 500G2LOutlander L MAX450, 500G2LOutlander L MAX450, 500G2Outlander L MAX450, 500G2Outlander L MAX500, 650, 800, 1000G2Outlander L MAX500, 650, 800, 1000G2Outlander L MAX450, 570G2LOutlander L MAX450, 570G2LOutlander L MAX450, 570G2LOutlander L MAX450, 570G2LOutlander MAX570, 650, 850, 1000G2Outlander MAX570, 650, 850, 1000G2Outlander MAX570, 650, 850, 1000G2Outlander MAX570, 650, 850, 1000G2Outlander MAX450, 570G2LOutlander MAX450, 570G2LOutlander MAX650, 850, 1000G2Outlander MAX650, 850, 1000, 1000RG2Outlander MAX650, 850, 1000, 1000RG2Outlander MAX650, 850, 1000, 1000RG2Outlander	2014	Outlander	400	G1
Outlander MAX         500, 650, 800, 1000         G2           Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander LMAX         450, 500         G2L           Outlander LMAX         450, 500         G2L           Outlander LMAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2           0utlander LMAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2		Outlander	500, 650, 800, 1000	G2
Renegade         500, 800, 1000         G2S           2015         Outlander L         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2           Renegade         500, 800, 1000         G2           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2		Outlander MAX	400	G1
2015         Outlander L         450,500         G2L           Outlander L MAX         450,500         G2L           Outlander L MAX         450,500         G2L           Outlander L MAX         500,650,800,1000         G2           6x6         650,1000         G2           6x6         650,1000         G2           Renegade         500,800,1000         G2S           2016         Outlander L         450,570         G2L           Outlander L MAX         450,570         G2L           Outlander L MAX         450,570         G2L           Outlander L MAX         450,570         G2L           Outlander MAX         570,650,850,1000         G2           Outlander MAX         570,650,850,1000         G2           Cutlander MAX         570,650,850,1000         G2           K6         650,1000         G2           Outlander MAX         570,850,1000         G2           Outlander MAX         650,850,1000         G2           Outlander MAX         650,850,1000         G2           Outlander MAX         650,850,1000         G2           Outlander MAX         650,850,1000         G2           Outlander MAX <td< td=""><td></td><td>Outlander MAX</td><td>500, 650, 800, 1000</td><td>G2</td></td<>		Outlander MAX	500, 650, 800, 1000	G2
2015         Outlander         500, 650, 800, 1000         G2           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           Renegade         570, 850, 1000         G2           Renegade         570, 850, 1000         G2           Outlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           Renegade         570, 850, 1000         G2           Staft         650, 850, 1000, 1000R         G2 <td></td> <td>Renegade</td> <td>500, 800, 1000</td> <td>G2S</td>		Renegade	500, 800, 1000	G2S
Outlander         So0, 850, 800, 1000         G2           Outlander L MAX         450, 500         G2L           Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2           Outlander L         450, 570         G2L           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           0utlander MAX         570, 650, 850, 1000         G2           0utlander MAX         570, 650, 850, 1000         G2           0utlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           0utlander MAX         650, 850, 1000         G2           0utlander MAX         650, 850, 1000         G2           0utlander MAX         650, 850, 1000         G	2015	Outlander L	450, 500	G2L
Outlander MAX         500, 650, 800, 1000         G2           6x6         650, 1000         G2           Renegade         500, 800, 1000         G2S           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2L           Outlander MAX         650, 850, 1000         G2L           Outlander         650, 850, 1000         G2L           Outlander MAX         650, 570		Outlander	500, 650, 800, 1000	G2
Outlander         Oot, 000, 000, 000         G2           6x6         650, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Outlander MAX         570, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Outlander MAX         650, 850, 1000         G2           Outlander         450, 570         G2L           Outlander         650, 850, 1000, 1000R         G2 <td< td=""><td></td><td>Outlander L MAX</td><td>450, 500</td><td>G2L</td></td<>		Outlander L MAX	450, 500	G2L
Renegade         500, 800, 1000         G2S           2016         Outlander L         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander L MAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2S           2017         Outlander MAX         570, 850, 1000         G2           0utlander         450, 570         G2L         Outlander           0utlander         650, 850, 1000         G2         G2           0utlander         650, 850, 1000         G2         G2           Outlander MAX         450, 570         G2L         Outlander           Outlander MAX         650, 850, 1000         G2         G2           Outlander MAX         650, 850, 1000         G2         G2           Outlander MAX         650, 570         G2L         Outlander           Outlander         650, 850, 1000, 1000R         G2         G2           Outlander MAX         450, 570         G2L         Outlander         G50, 850, 1000, 1000R		Outlander MAX	500, 650, 800, 1000	G2
2016         Outlander L         450, 570         G2L           Outlander         570, 650, 850, 1000         G2         G2L           Outlander L MAX         450, 570         G2L         G2L           Outlander MAX         570, 650, 850, 1000         G2         G2L           Outlander MAX         450, 570         G2L         G2L           Outlander MAX         450, 570         G2L         G2L           Outlander MAX         450, 570         G2L         G2L           Outlander MAX         650, 850, 1000         G2         G2           Outlander MAX         650, 850, 1000         G2         G2           Outlander MAX         650, 850, 1000         G2         G2           Outlander         450, 570         G2L         G2           Outlander         650, 850, 1000, 1000R         G2         G2           Outlander MAX         450, 570         G2L         G2           Outlander MAX         650, 850, 1000, 1000R         G2 <td></td> <td>6x6</td> <td>650, 1000</td> <td>G2</td>		6x6	650, 1000	G2
Qutlander         570, 650, 850, 1000         G2           Outlander LMAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2L           Outlander MAX         570, 650, 850, 1000         G2           Renegade         570, 850, 1000         G2L           Outlander         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           Outlander MAX         650, 850, 1000         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX		Renegade	500, 800, 1000	G2S
Outlander         570, 650, 850, 1000         G2           Outlander LMAX         450, 570         G2L           Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Qutlander MAX         570, 850, 1000         G2           6x6         650, 1000         G2           Qutlander         450, 570         G2L           Outlander         650, 850, 1000         G2           Qutlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           Qutlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Qutlander MAX         650, 850, 1000         G2           Qutlander MAX         650, 850, 1000         G2L           Outlander         650, 850, 1000, 1000R         G2           Qutlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Qutlander MAX         650, 850, 1000, 1000R         G2           Qutlander MAX         650, 850, 1000, 100	2016	Outlander L	450, 570	G2L
Outlander MAX         570, 650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           Outlander         450, 570         G2L           Outlander         650, 850, 1000         G2           Outlander         650, 850, 1000         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           Outlander         650, 850, 1000         G2           Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         650, 850, 1000, 1000R         G2L           Outlander MAX         650, 850, 1000, 1000R         G2L	2010	Outlander	570, 650, 850, 1000	G2
6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           Q017         Outlander         450, 570         G2L           Outlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           6x6         650, 1000         G2           Outlander MAX         650, 850, 1000         G2           0utlander MAX         650, 850, 1000         G2           0utlander MAX         450, 570         G2L           Outlander         650, 850, 1000, 1000R         G2           0utlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 1000, 1000R         G2           6x6, 6x6 MAX         450		Outlander L MAX	450, 570	G2L
Renegade         570,850,1000         G2S           2017 2018         Outlander         450,570         G2L           Outlander         650,850,1000         G2           Outlander MAX         450,570         G2L           Outlander MAX         450,570         G2L           Outlander MAX         650,850,1000         G2           6x6         650,1000         G2           6x6         650,1000         G2           Outlander MAX         650,850,1000         G2           Outlander MAX         650,850,1000         G2           Outlander MAX         650,1000         G2           Outlander MAX         450,570         G2L           Outlander         650,850,1000,1000R         G2           Outlander MAX         450,570         G2L           Outlander MAX         450,570         G2L           Outlander MAX         650,1000,1000R         G2           Outlander MAX         650,850,1000,1000R         G2           Outlander MAX         650,950,1000,1000R         G2L           Outlander MAX         650,1000         G2L           Outlander MAX         650,1000         G2L		Outlander MAX	570, 650, 850, 1000	G2
Outlander         450, 570         G2L           Outlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           Outlander MAX         450, 570         G2L           Outlander         450, 570         G2L           Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2L		6x6	650, 1000	G2
Outlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           Outlander MAX         450, 570         G2L           Outlander         450, 570         G2L           Outlander         450, 570         G2L           Outlander MAX         650, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		Renegade	570, 850, 1000	G2S
Outlander         650, 850, 1000         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2           Outlander MAX         650, 850, 1000         G2           Outlander MAX         650, 850, 1000         G2           Outlander         650, 850, 1000         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         650, 850, 1000, 1000R         G2           Gx6, 6x6 MAX         450         G2L           Outlander MAX         650, 1000         G2L	2017	Outlander	450, 570	G2L
Outlander MAX         650, 850, 1000         G2           6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           Outlander         450, 570         G2L           Outlander MAX         450, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2L		Outlander	650, 850, 1000	G2
6x6         650, 1000         G2           Renegade         570, 850, 1000         G2S           2019         Outlander         450, 570         G2L           Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         650, 850, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		Outlander MAX	450, 570	G2L
Renegade         570, 850, 1000         G2S           2019         Outlander         450, 570         G2L           Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         650, 850, 1000, 1000R         G2L           Outlander MAX         650, 850, 1000, 1000R         G2L           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		Outlander MAX	650, 850, 1000	G2
Outlander         450, 570         G2L           Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           Outlander MAX         650, 850, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		6x6	650, 1000	G2
Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         450, 1000         G2L           6x6, 6x6 MAX         650, 1000         G2		Renegade	570, 850, 1000	G2S
Outlander         650, 850, 1000, 1000R         G2           Outlander MAX         450, 570         G2L           Outlander MAX         650, 850, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2	2010	Outlander	450, 570	G2L
Outlander MAX         650, 850, 1000, 1000R         G2           6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2		Outlander	650, 850, 1000, 1000R	G2
6x6, 6x6 MAX         450         G2L           6x6, 6x6 MAX         650, 1000         G2	2020	Outlander MAX	450, 570	G2L
6x6, 6x6 MAX 650, 1000 <b>G2</b>		Outlander MAX	650, 850, 1000, 1000R	G2
		6x6, 6x6 MAX	450	G2L
Renegade 570, 850, 1000, 1000R <b>G2S</b>		6x6, 6x6 MAX	650, 1000	G2
		Renegade	570, 850, 1000, 1000R	G2S











## EASY ON EASY OFF CARGO


A BRP exclusive, LinQ is a tool-less system for near-instant installation of accessories Quickly, easily install and remove LinQ accessories to transform your machine to fit the moment.



#### Lino ACCESSORY TYPES

- Ling with 16" base accessories are mounted with Ling anchors 16 inches apart, ideal for Can-Am ATVs and SSVs, Sea-Doo watercraft, and Ski-Doo snowmobiles.
- Lin<sup>O</sup> with 36" base accessories are most commonly used as part of LinQ racks for Can-Am Off-Road vehicles.

GUIDE



SYSTEM	ACCESSORIES		0	hility/Deau-income	nto	
Equip your Can-Ar	Quickly install and remove accessor n for specialized tasks in no time system that holds up to the roughe	Compati Outlander 450/570	bility/Requireme Outlander	Renegade		
LinQ ACCESSOF	RIES WITH 16" BASE P. 11	Lower loading	nounted 16 inches apart, center-to capacity than the 36" base acces Can-Am ATV and SSV vehicles, Se	sories.	ki-Doo snowmobiles.	
. TI	LinQ 4.2 GAL (16 L) COOLER 295100698					
	<b>LinQ TOOL BOX</b> 715004301					
	LinQ SR 5.5 GAL (21 L) BAG 860201740			LinQ Anchor Adaptor Kit 715004960	LinQ Luggage Rack 715001734 + LinQ Anchor	
	LinQ 4.5 GAL (17 L) SPORT BAG 860201678				<b>Adaptor Kit</b> 715004960	
LinQ DRY BAG 715002875						
LinQ ACCESSOF	RIES WITH 36" BASE P. 12-15	Higher loading	racks often used by Can-Am ORV capacity than the 16" base acces d to Can-Am ORV vehicles.			
	<b>LinQ 12 GAL (45 L) CARGO BO</b> 715003879	x	LinQ Base			
Car	LinQ 23 GAL (86 L) GAL TRUNK BDX 715004923		715002350			
	<b>LinQ 32 GAL (121 L) TRUNK BC</b> 715001747 / 715001749 (MAX)	х	Not compatible		LinQ Luggage Rack 715001734	
	<b>LinQ 11.5 GAL (43 L) AUDIO CA</b> 715003018	ARGO BOX	LinQ Base 715002350	No further requirements		
1	LinQ 8 GAL (30 L) COOLER BD 715004778 • Black / 715004698 • Grey		Not compatible			
	LinQ PREMIUM STORAGE BAG 715002923 • Black / 715003248 • Cam					
A REAL OF THE PARTY OF	LINQ HEAVY-DUTY BASKET 715001215		LinQ Base 715002350			
-	LinQ LOW PROFILE BASKET 715004282					
LinQ RACKS & H	IOLDERS P. 25-27					
50	LinQ 4" [10 CM ] RACK EXTENS 715001711• Silver / 715001665 • Black		Not compatible *Alternative 5" or 8" Rack Extensions (715001913 or			
	LinQ 6" (15 CM) RACK EXTENS 715001712 • Silver / 715001671 • Black	<b>.inQ 6" (15 CM) RACK EXTENSION</b> /15001712 • Silver / 715001671 • Black			LinQ Luggage Rack	
49	<b>LinQ MOUNTED GEAR GRIPS</b> 715001351		Not compatible *Alternative Gear Grips by Kolpin (715001421) are availabe for G2L	No further requirements	LinQ Luggage Rack 715001734	
44	<b>LinQ TOOL HOLDER</b> 715003059		LinQ Base 715002350			
Lin	Lin <b>Q GUN BOOT RACK</b> 715002112 / 715002113		Not compatible *Alternative Gun Boot Racks (715001918 or 715001919) are		Not compatible	



## LinQ: EASY ON EASY OFF CARGO

СA EASY N

## ACCESSORIES

#### SR 5.5 GAL (21L) LinQ BAG

BETTER RIDE,

WHAT'S NOT TO LOVE?

ADDED CAPABILITY, MORE STORAGE:

- •Semi-rigid expandable bag.
- 5.5 Gal (21L) capacity.
- LinQ Cargo Base Kit included (860201801). See table for installation location
- and requirements.









#### LinQ ACCESSORIES WITH 36" BASE Ling

#### OUTLANDER | RENEGADE

#### LinQ 12 GAL (45L) CARGO BOX

· LinQ mounted for easy on, easy off installation. · Holds cargo safely and securely while riding. ·See table for installation location and requirements G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S





#### LinQ 23 GAL (86L) TRUNK BOX

· LinQ mounted for easy on, easy off installation. Lockable and weather-resistant. Holds cargo safely and securely while riding. Comfort pads for passenger. ·See table for installation location and requirements. G2 (except 6x6 models), G2L, G2S 715004923



#### LINC ACCESSORIES WITH 36" BASE

#### OUTLANDER | RENEGADE

## LinQ 32 GAL (124L) TRUNK BOXES

#### Seamless integration with vehicle

 Built from the design stage to specifically match your Can-Am vehicle.

 Totally cohesive design eliminates the need to modifiy your vehicle in any way\*. · Rear tail light.

#### **Color-keyed panels**

· Colored Trunk Box Panels & Camo Decals are available to match your Outlander (sold separately).

#### Easy quick-attach installation

· Equipped with the LinQ System, the rear trunk box plugs in and out in seconds. · Instantly transforms your vehicle to suit the need of the moment.

#### LinQ 32 GAL (124L) TRUNK BOX

· LinQ Retrofit Adaptor Plate (715001334) is required for G1 models. • Trunk Box Panels available in many colors to match your vehicle (sold separately). •See

	715001748					
715001747	<ul> <li>No rear tail lig</li> </ul>					
<u>G2S</u>	(EC complian					
G2 (except MAX models & 6x6),	European Ver					
<ul> <li>See table for installation location ar</li> </ul>	for installation location and requirements.					

Version iant) light



#### LinQ 32 GAL (124L) TRUNK BOX PANELS

· Color panels to match the 32 Gal (124L) LinQ Trunk Box to your vehicle. LinQ 32 Gal (124L) Trunk Boxes



715002984 • Octane Blue 715002985 • Manta Green 715002986 • Can-Am Red 715006119 • Orange Crush New 715006120 · Squadron Green New  No rear tail light 715001397 • Black 715001398 • Yellow 715002482 • Light Grey 715002483 • White 715006124 Viper Red New

\*WARNING: You should never accessorize your Can-Am off-road vehicle with accessories not approved by BRP because your vehicle may no longer meet certain safety and construction standards. This situation could increase the risk of severe injury or death and render your vehicle not legal for use

G2 (MAX models only except 6x6 models)





· Built-in lockable barrel.

Made of injection-molded

Unparalleled storage

access to the trunk's interior.

**Built tough** 

Lockable



#### LinQ 32 GAL (124L) TRUNK BOX FOR OUTLANDER MAX

 Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed passenger padding comfort-fitted with a portion made of closed cell foam that won't absorb water.

Very easy to embark even when driver is seated

• Trunk Box Panels available in many colors to match your vehicle (sold separately).

EUROPEAN VERSION (EC compliant) • No rear tail light. 715001750





Add lockable storage, style and passenger comfort-no tools needed.

EUROPEAN VERSION (EC compliant)

715006121 • Can-Am Red New 715006122 • Manta Green New 715006123 • Orange Crush New CAMO DECALS FOR BLACK **TRUNK BOX PANELS** 

(Not illustrated) · Camo pattern perfectly matches your camo vehicle. LinQ 32 Gal (124L) Black Trunk Box Panel Mossy Oak Break-Up Country Camo 715001683 • Next G-1 Vista Camo





715002975

715001683

TAKE ON THE TOUGH JOBS WITH TASK-FOCUSED UPGRADES THAT ALLOW YOUR CAN-AM ATV VEHICLE TO WORK SMARTER & HARDER



#### Ling LinQ ACCESSORIES WITH 36" BASE

#### OUTLANDER | RENEGADE

#### LinQ PREMIUM STORAGE BAG BY OGIO

· Tool-less installation and removal thanks to the LinQ System.

• 17.2 Gal (65 L) capacity semi-rigid cargo bag ideal for carrying

anything you need on your vehicle.

· Buckle and elastic closure with a rubber seal that protects dust from entering the bag.

- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.

· See table for installation location and requirements. G2 (except 6x6 models), G2L, G2S 715002923 • Black

215003248 • Mossy Oak Break-Up Country Camo



Inside separators for optimal bag organization

#### Ling Accessories with 36" Base

#### OUTLANDER | RENEGADE

#### LinQ 11.5 GAL (43L) AUDIO CARGO BOX

 Mounts on/off easily to hold/carry cargo safely and securely. • The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover. Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.

 Backlit control panel perfect for night riding. Water-resistant speakers. Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier. See table for installation location and requirements.

#### G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S






#### LinQ 8 GAL (30L) COOLER BOX

· LinQ mounted for easy on, easy off installation Rotomolded construction provides exceptional rigidity and durability. • Premium-quality foam insulation for optimal ice retention. Integrated, fully-removable compartment protects food. • Robust rubber latches keep the cover tightly closed. Weather-resistant. ·Convenient drain plug. ·See table for installation location and requirements. G2 (except 6X6 models), G2S G2 (except 6x6 models), G2S 715004778 • Black 715004698 · Grey



Quickly attach or remove for ultimate sound and added storage, anytime.

EXPERT CHOICE





#### LinQ HEAVY-DUTY BASKET

- Made of high-strength, low-alloy steel.
- · LinQ mount for easy on, easy off installation.
- Can be placed on both front and back racks of vehicle.
- See table for installation location and requirements.
- G2, G2L (front only for MAX & 6x6 models), G2S

715001215



LinQ LOW PROFILE BASKET

- · Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- · Made of impact-resistant injected polypropylene.
- ·See table for installation location and requirements.
- G2, G2L (front only for MAX & 6x6 models), G2S

LinQ STORAGE BOX 2 GAL (7.5L)

EASY LOADS IT: LinQ ACCESSORIES MOUNT SECURELY IN SECONDS

GET REMARKABLE VERSATILITY, QUALITY, AND FIT TO MATCH EVERYTHING YOUR OUTLANDER 6X6 CAN DO

#### Line Accessories

#### New LinQ ANCHOR ADAPTOR KIT

· Allows the installation of accessoiries with LinQ base of 16" on LinQ racks. · Tool-less installation and removal. • For G2S, the LinQ Luggage Rack (715001734) is required for installation.

715004960



#### LinQ BASE · Made of polypropylene glass fiber.

 Allows you to install LinQ accessories. Sold in pack of 4. G2L

715002350





LinQ REPLACEMENT PARTS

Unique mounting fastener usable

on any LinQ System accessory.

• Tool-less installation and removal.

Sold in pairs.

715001707

SOFT STORAGE BAG

• 3-section bag. Transport gear in a weatherproof bag.
11.8 Gal (45L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage. LinQ Luggage Rack (715001734)
 is required for G2S. <u>G2, G2L, G2S</u>





STORAGE 2.6 GAL (10L) BAG

 Roll-top dry bag for fully protecting your cargo from the elements. • Fits in rear compartment of your vehicle. 269502121



<u>G2, G2S</u>

## CARGO & STORAGE <sup>17</sup>



#### **OUTLANDER 6X6**

#### LOG BARS

715001987

· Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm) timber. • The driver's safety is guaranteed by the protective front screen.

G2 (6x6 models only)



#### HARD TOP

• The hard top provides a 116 Gal (440L) cargo box. Locking secures your belongings. • The cover raises assisted by gas cylinders. G2 (6x6 models only)





#### New CARGO BOX POOL

 Transforms the flatbed into a large capacity cargo box for increased loading possibilities.

• Made of durable formed HDPE and shaped to maximize cargo space. · Allows access to vehicle's water-resistant rear compartment. Designed for perfect fit and easy installation.

G2L (6x6 models only)

#### 715005256



#### TAILGATE EXTENSION/DIVIDER

• The sturdy tailgate extension provides a 10" (25 cm) extension to the cargo space. • Thanks to the longer cargo bed, even large loads pose no problem. ·With the help of LinQ quick locks, the extension also acts as a solid space divider for the cargo bed.

G2 (6x6 models only)

715002017



#### **OUTLANDER 6X6**

#### TARPAULIN

• Fitted to cover all of the items in your cargo box thoroughly. Prevents splash from entering cargo box.
Easily removable for quick access. G2 (6x6 models only) 715002416



#### CARGO BOX NET

·Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo. G2 (6x6 models only) 715001371



ORIES

A C C E

#### 18 GAL (70L) UTILITY BOX

- Wherever you go and whatever you do, this handy 18 Gal (70L) utility box is your mobile storage.
- The lid keeps your equipment safe from the elements in all conditions.
- Slides under the flatbed with handles for easy access.

#### G2 (6x6 models only)

715001999



#### TAILGATE LIMITER KIT

•2 L-shape brackets that hold the tailgate open horizontally.

•Keeps tailgate flush with the rest of the flatbed for longer oversized cargo.

#### G2 (6x6 models only)





## CAN-AM WINDSHIELDS

Factory-designed wind and debris protection options with clear benefits for every Can-Am ATV rider.



**OUALITY &** RELIABILITY STYLE & VISION

Install base bracket and quickly remove windscreen when needed

ELEVATED

PROTECTION Pick the windscreen based on the conditions

with three different

sizes to match your vehicle perfectly.





Perfectly shaped, built and finished to seamlessly improve the way your ATV cuts through the wind.

## **CREATE YOUR ULTIMATE** WIND PROTECTION IN 3 EASY STEPS



**1** CHOOSE A DELUXE FAIRING COLOR

#### **DELUXE FAIRING**



16" (41 cm)

**3** COMPLETE WITH PERFECTLY INTEGRATED ACCESSORIES

#### **AUXILIARY WINDSHIELD LIGHTING**

•2 premium LED spots for Deluxe Fairing for both increased output and directional lighting. • 1,800 lumens. •2 10W LED Cree light kit. • Long-range illumination up to 350' (107 m). drawing less than 1 amp per light **Deluxe Fairing** 715003115



Extra High

Hiah

Low

## WINDSHIELDS 21



## CAMO DECALS FOR BLACK

· Camo pattern perfectly matches your camo vehicle.

Mossy Oak Break-Up Country Camo





Outlander X-TP and on any vehicle equipped with

#### **DELUXE MIRROR KIT**

- Improved mounting system
- Wide rear view.
- Perfect fit with your Deluxe Fairing and Deluxe Windshield

**Deluxe Fairing** 715002353




## OUTLANDER | RENEGADE WINDSHIELD KITS

 Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride. Quick tool-less removal once base brackets are mounted on handlebar. · Fits straight and tapered handlebars. Improved design for enhanced rigidity

EXTRA HIGH WINDSHIELD KIT • 16" (41 cm) windshield. • For ultimate wind protection and winter applications. G2, G2L, G2S (except X mr models) 715003023



INTEGRATED AIRFLOW **VENT REDUCES AIR TURBULENCE AND ENGINE RUMBLE AT HIGHER SPEEDS FOR** LESS BUFFETING AND MORE COMFORT.



- HIGH WINDSHIELD KIT • 11" (28 cm) windshield. • For wind protection and winter applications.
  - AVAILABLE IN AUGUST 2019 G2, G2L, G2S (except X mr models) 715006382



11" (28 cm)

#### Allows you to keep your vehicle looking sporty while giving you some protection from the elements. G2, G2L, G2S (except X mr models) 715003021

LOW WINDSHIELD KIT

•6" (15 cm) windshield.



#### OUTLANDER | RENEGADE

#### HANDLEBAR WIND DEFLECTORS

· Rugged injected plastic construction with Can-Am logo. · Include removable cap for air flow adjustment. · Mounting kit sold separately. G2, G2L, G2S

- 715000525 Black / Yellow 715000537 • White / Black 715001706 • Black / Black 715000733 • Yellow / Black 715003811 • Can-Am Red / Black
- 715003812 Manta Green / Black 715003813 • Orange / Black 715003814 • Octane Blue / Black 715006117 · Squadron Green/Black New 715006118 • Viper Red/Black New



#### FULL WRAP ALUMINUM MOUNTING KIT

· Lightweight black die cast aluminum construction. Includes complete hardware. · Handlebar wind deflectors sold separately.

G2, G2L, G2S 715001378



#### **MIRROR KIT FOR HANDLEBAR** WIND DEFLECTORS

• Do not fit with Full Wrap Aluminum Mounting Kit (715001378). Sold in pairs. Handlebar Wind Deflectors 860200080

#### **XT HANDLEBAR PROTECTOR KIT**

 Not compatible with Mud Strap (715003053). G2, G2L 703100352



16" (41 cm)

## HANDLEBARS & MIRRORS 23

#### **PASSENGER WIND DEFLECTORS**

These wind deflectors fit on the passenger handles

and provide greater comfort while riding.

· Easy to install and remove.

G2 and G2L (MAX models only)

715001669



#### SHORT ALUMINUM MOUNTING KIT

· Lightweight black die cast aluminum construction.

- Includes complete hardware.
- · Handlebar wind deflectors sold separately.

#### G2, G2L, G2S 715001379







#### ALUMINUM TAPERED HANDLEBAR

•7/8"-1 1/8" (22 mm - 28 mm) tapered handlebar made of 6061-T6 aluminum. Includes all hardware, center steering foam and cover.





#### MIRRORS

- True vision surface 5" x 3" (13 cm x 8 cm).
- Matte finish.
- Stem includes 3/8" (10 mm) thread.

#### Left - 3/8" (10 mm)

- Bracket (715000190) is required for installation on DS 450.
- · Bracket not required for installation on Outlander and Renegade.

#### 709400406

#### Right - 3/8" (10 mm)

 Bracket (715000190) required except for vehicles with right hand break.

709400523



#### SEAT KITS 24

COMFORTABLE DRIVER & PASSENGER SEATING OPTIONS FOR **ALL RIDERS** 

### OUTLANDER

#### **DRIVER BACKREST**

 Provides the rider's back with that extra support that makes riding that extra mile way more comfortable. Adjusts horizontally to match the driver's height and preference. · Mounts and locks in firmly onto the vehicle.

#### G2 (except 6x6 & MAX models)



G2 2015 & up, G2L (MAX models only, except 6x6 models) 715003942



G2L (except MAX models) 715003941

G2 (6x6 models only, except Max) 715003611

#### **OUTLANDER MAX PASSENGER SEAT KIT**

· Perfect to replace used or damaged passenger seat. G2 2015 and up, G2L (MAX models only) 715002373



Ling RACKS & HOLDERS

#### OUTLANDER | RENEGADE

#### LinQ RACK EXTENSION

 Fits front or rear. Strong and durable. • Helps keep cargo securely in place. G2, G2S

• Easy and tool-less installation thanks to the LinQ System. •Anti-corrosion coating with durable powder coat finish. ·LinQ Luggage Rack (715001734) is required for G2S.

#### 4" (10 CM)

715001711 • Silver 715001665 • Black



## RACKS & HOLDERS 25

AT THE JOBSITE OR ON AN ADVENTURE, LinQ RACKS MAKE IT EASIER **TO CARRY THE LOAD** 

ESSORIES





Twist & Go installation for adding cargo capability in seconds.





ACCESSORIES

#### OUTLANDER

#### RACK EXTENSION

 Fits front or rear. Made of carbon steel. · Provides tie-down points to secure cargo on racks. <u>G2L</u>

· Easy installation on tubular rack. Anti-corrosion coating with durable powder coat finish.



Durable extensions with multiple attachment points and work-ready finish.

EXPERT

CHOICE



#### 8" (20 CM)



#### RENEGADE

#### **REAR ALUMINUM RACK**

• 30 lb (14 kg) capacity. · Compact, lightweight aluminum construction. Engraved Can-Am logo. • Stamped 5052 aluminum center plate. Easy to install. G2S

715001360



#### Lino LUGGAGE RACK

 Bolt-on rack. · Enables use of LinQ mounted accessories on the G2S.

<u>G2S</u> (except X mr models) 715001734





#### OUTLANDER

#### GUN BOOT RACK 🥊

· Made of steel. · Designed for the tubular rack. • For use with Gun Boot 6.0 Impact by Kolpin. Can be mounted to either side of the vehicle.

G2L (except MAX models) 715001918

G2L (MAX models only) 715001919

#### GUN BOOT 6.0 IMPACT<sup>†</sup> BY KOLPIN<sup>†</sup>

• Extra room for pistol-grip-type weapons and small bipods. • Easily fits firearms up to 51" (130 cm) in total length. • Provides ample room for 2 3/8" (60 mm) scopes. · Hatchback design allows easy access. · Ergonomically designed handle and molded attachment points for sling. <u>G2, G2L</u> 715001419

#### LinQ GUN BOOT RACK

(Not illustrated) This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ System. • For use with Gun Boot 6.0 Impact by Kolpin.

G2 (except MAX, 6X6 & X mr 1000) 715002112 · Black

G2 (MAX & X mr 1000 models only) 715002113 · Black

#### MULTI-FIT HOLDER

 Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible. · Easy installation on tubular rack, extension racks, basket or bumpers. • For G2, the LinQ Rack Extension (715001711) is required. Sold in pairs. <u>G2, G2L</u>

Single Double 715002354 715001945

#### OUTLANDER | RENEGADE

#### **GEAR GRIPS BY KOLPIN**

 Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter. ·Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more. Quick-release button opens grip quickly for easy access to gear. · Heavy-duty base system built for the toughest adventures. · Easy installation on tubular racks, extension racks, brackets or bumpers Sold in pairs.

<u>G2L</u> 715001421



- ·Snap-close cover with locking capability.
- Designed to accommodate left and right hand bolt-action rifles and shotguns.
- Includes removable, shock absorbing foam and nylon Impact liner for superior interior protection.
- Requires appropriate mounting kit for installation.







#### LinQ MOUNTED GEAR **GRIPS BY KOLPIN**

(Not illustrated) Same features as Gear Grip by Koplin (715001421).

- Make transporting your tools
- a snap by combining
- the Gear Grips with the LinQ System. • 360° orientation.
- LinQ Luggage Rack (715001734)
- is required for G2S.

G2, G2S 715001351

#### LinQ TOOL HOLDER

- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored
- in any orientation.
- LinQ Luggage Rack (715001734)
- is required for G2S. Sold in pairs.

#### G2, G2S, G2L





## SKID PLATES

OUTLANDER | RENEGADE

## HMWPE SKID PLATES

Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of 1/4" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

C Lighter than aluminum

Superior stress crack resistance

High impact strength

1000 Call	100 M							21		
Offer your		G2 G2L						Gi	2 <b>S</b>	
Outlander or	2016 8	PRIOR	2017	-2018	2019	& UP			2017-2018 MODELS	2019 & L
Renegade the full protection kit or get them individually	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HMWPE SKID PLATE PROTECTION KIT	715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	7150048
INDIVIDUAL HM	WPE SKIE	) PLATES	I	I	I	I		I	I	
1 A-ARM PROTECTORS	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	71500482
2 UNDERBELLY PLATES	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	7150029
3 TRAILING ARM PROTECTORS	715002925	715002925	715003466	715003466	715004823	715004823	715003466	715003466	715003466	7150048

1

## OUTLANDER ALUMINUM SKID PLATES

For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum 3/16" (4.5 mm) thick.

VItimate durability

High strength

A REAL PROPERTY OF A REAL PROPER		of the lot have been a lot of the							
		G2L							
ffer your Outlander	2016 &	PRIOR	2017	-2018	2019	& UP	ANY YEAR		
e full protection kit get them individually	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only	
MWPE KID PLATE ROTECTION KIT	715002137	715002138	715004197	715004198	New 715004804	New 715004805	715004199	715004200	
IDIVIDUAL HMWPE S	KID PLATE	S	'	'	'	'	'	'	
) A-ARM PROTECTORS	715001667	715001667	715001667	715001667	New 715004820	New 715004820	715001667	715001667	
) FRONT SKID PLATE	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906	
) CENTRAL SKID PLATE	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078	
) FOOTWELL PROTECTOR PLATES	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922	
) TRAILING ARM PROTECTORS	715001129	715001129	715003741	715003741	New 715004821	New 715004821	715003741	715003741	
) REAR DIFFERENTIAL PROTECTORS	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920	
) REAR SKID PLATE	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029	

		Sar North Carto	G	2			G2L		
Offer your Outlander	2016 & PRIOR		2017-2018		2019 & UP		ANY YEAR		
the full protection kit or get them individually	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only	
HMWPE SKID PLATE PROTECTION KIT	715002137	715002138	715004197	715004198	New 715004804	New 715004805	715004199	715004200	
INDIVIDUAL HMWPE S	KID PLATE	S							
1 A-ARM PROTECTORS	715001667	715001667	715001667	715001667	New 715004820	New 715004820	715001667	715001667	
(2) FRONT Skid plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906	
③ CENTRAL SKID PLATE	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078	
(4) FOOTWELL PROTECTOR PLATES	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922	
5 TRAILING ARM PROTECTORS	715001129	715001129	715003741	715003741	New 715004821	New 715004821	715003741	715003741	
6 REAR DIFFERENTIAL PROTECTORS	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920	
7 REAR SKID PLATE	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029	



28



## ACCESSORIES

SKID PLATES

#### RENEGADE

## ALUMINUM SKID PLATES

For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum 3/16" (4.5 mm) thick.

VItimate durability

High strength

	(Section 1)					
Offer your Renegade the full protection kit	G2S					
or get them individually	2016 & PRIOR	2017-2018	2019 & UP			
ALUMINUM SKID PLATE PROTECTION KIT	715002139	715004201	New 715004808			
INDIVIDUAL ALUMINUM SKID PLATES						
(1) A-ARM PROTECTORS	715001667	715001667	New 715004820			
② FRONT SKID PLATE	715000925	715000925	715000925			
③ CENTRAL SKID PLATE	715002078	715002078	715002078			
FODTWELL PROTECTOR PLATES     NOT COMPATIBLE ON X MR MODELS	715001359	715001359	715001359			
5 TRAILING ARM PROTECTORS	715001129	715003741	New 715004821			
6 REAR DIFFERENTIAL PROTECTORS	715000920	715000920	715000920			
7 REAR SKID PLATE	715002028	715002028	715002028			

2 00

00

3

0

715004201

### OUTLANDER 6X6

# HMWPE & ALUMINUM SKID PLATES

Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

#### HMWPE

Made of 1/4" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

#### ALUMINUM Made with High Strength 5052 H32 Aluminum 3/16" (4.5 mm thick.

C Lighter than aluminum

Superior stress crack resistance

High impact strength



Offer your Outlander 6x6 a full protection solution		G2L 6X6		
by combining our skid plates or get them individually.	2016 & PRIOR	2017 - 2018	2019 & UP	ANY YEAR
INDIVIDUAL HMWPE SKID PLATES				
1 HMWPE A-ARM PROTECTORS	715002924	715002924	715004822	715002924
2 HDPE FULL UNDERBELLY SKID PLATE	715003646 (Except MAX) 715003647 (MAX only)	715003646 (Except MAX) 715003647 (MAX only)	715003646 (Except MAX) 715003647 (MAX only)	715005259 (MAX only)
(3) HMWPE TRAILING ARM PROTECTORS	715002925	715003466	715004823	715003466
INDIVIDUAL ALUMINUM SKID PLATES				
1 ALUMINUM A-ARM PROTECTORS	715001667	715001667	New 715004820	715001667
(2) ALUMINUM FULL UNDERBELLY SKID PLATE	_	_	_	-
(3) ALUMINUM TRAILING ARM PROTECTORS	715001129	715003741	New 715004821	715003741



SKID PLATES

## CAN-AM BUMPERS

The strength to endure and the character to wear wellour bumpers are ready for it.



FIT & COMPATIBILITY

DUALITYS RELIABILITY

VISION

## 



## DURABILITY SLEEK ENOUGH TO WORK ALONGSIDE YOUR HERD

#### **COMPLETE RANCHER** PROTECTION KIT See p. 34

( = ) =



integrated Designed to seamlessly integrate with the style, fit, finish, and capability of your ATV.

#### **Durable textured finish**

For long life and better resistance to scratches and corrosion.



#### **OUTLANDER**

## **XT BUMPERS**

· Provide additional protection against obstacles. • Tough and durable, can be added on base Outlander model to convert vehicle into XT model.

 Standard on XT model. Large tube construction with textured black finish and metal corners.

**XT FRONT BUMPER** 

<u>G2</u> 715004837



Large tube construction.

Protects vehicle frame against obstacles.

**XT FRONT BUMPER** ·Winch compatible. G2L



## BUMPERS & GUARDS <sup>33</sup>

**6 GUARDS** 







ACCESSORIES

## OUTLANDER

**RANCHER REAR** 

BUMPER

## **COMPLETE RANCHER** PROTECTION KIT

These heavy-duty bumpers and fender guard are designed to pull double duty: protect your ATV and anything it comes in contact with, while also enhancing the look of your ATV. • Made tough and designed to deliver a rugged appearance, together they offer front, rear and full side protection for farmer, rancher and forestry applications. • Requires Body Side Protector Extensions (715003460) for installation on MAX models.

This kit includes:

· Rancher Front Bumper (715003461) · Rancher Rear Bumper (715003462) · Body Side Protector (715003459) G2, G2L (except X mr & 6x6 models)

WORK AND MOVE

HERD-FRIENDLY

WITH HEAVY-DUTY,

CONFIDENTLY

PROTECTION

OPTIONS

**RANCHER FRONT BUMPER** 



#### **RANCHER FRONT BUMPER**

- The low front end protection and plates allow you to use your ATV within cattle herds and guard the safety of both the vehicle and the animals. The flat front portion facilitates gently prodding cattle or pushing light objects, e.g. closing a fence.
- G2, G2L (except X mr models) 715003461

provide an extra layer of defense to your headlights and radiator. Inside and outside anti-corrosion coating with durable powder coat finish. · Not compatible with track systems, plows and front hitch.

• The full frontage coverage extends to



#### **RANCHER REAR BUMPER**

· Ideal for using your ATV within cattle herds and guard the safety of both the vehicle and the animals

· Coverage extends to provide an extra layer of defense to your tail lights. · Inside and outside anti-corrosion coating with durable powder coat finish. Not compatible with track systems.

#### G2, G2L (except 6x6 models) 715003462



#### OUTLANDER

#### **BODY SIDE PROTECTOR**

• The heavy-duty fender guard designed to pull double duty: protecting your ATV and also enhancing the look of your ATV. Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.

- Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside
- and outside anti-corrosion coating with durable powder coat finish. · Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.

• Requires Body Side Protector Extensions (715003460) for installation on MAX models.

G2, G2L, with Rancher bumpers

(except X mr & 6x6 models) 715003459

G2L with XT bumpers (except X mr & 6x6 models) 715003614

G2 with XT bumpers (except 6x6 models) 715004940



#### **EXTREME FRONT BUMPER**

· Ultra-sturdy build · Enhances front-vehicle protection. Compatible with XT Front Bumper. • Fits the ApacheTM 360 Track System (when side panels are removed).

G2L Not compatible 715004279 with Front Hitch. 715001286


<u>G2</u>



#### **OUTLANDER 6X6**

#### **New FLATBED PROTECTION TUBES**

 Bolt-on bumpers for the sides of the 6x6 flatbed. · Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.







715005266

#### BODY SIDE PROTECTOR **EXTENSIONS**

(Not illustrated) This specially designed

extension for the Body Side Protector is made specifically to fit and seamlessly integrate the look of Outlander MAX models.

G2, G2L (MAX models only)



ACCESSORIES

715001286

715004279

#### RENEGADE

#### **RENEGADE EXTREME FRONT BUMPER**

· Enhanced vehicle front protection.

 Required as a mounting point for Radiator Relocator (715001929).

<u>G2S</u>

715002469





715002030

#### OUTLANDER

#### **FENDER FLARES**

· Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud. Made of injected plastic that hugs your vehicle fenders perfectly. Gives vehicle added flair for that rugged cool look. · Includes front and rear extensions and all mounting hardware.

G2 (except with 30" tires) G2L (except 6x6 models) GUAR 715001764 G2 (with 30" tires) (except 6x6 models) cb Standard on G2 X mr

BUM

G2L European Not compatible with vehicles only European vehicles 2015 & up 715004487

1000R. 715004250 715001909



#### **FENDER FLARE EXTENSIONS**

 Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits. Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.

 Include front and rear extensions. G2 (except 6x6 models)

• Must be used with Fender Flare for G2 (715001764). 715005111



G2L Must be used with Fender Flare for G2L (715001909). 715003615





#### RENEGADE

#### **FENDER FLARES**

 Integrated extended Fender Flares for sporty look and full body protection from dirt and water. · Include front and rear extensions and all mounting hardware G2S (except X mr models)

705012695





#### OUTLANDER | RENEGADE

#### HEATED GRIPS & THUMB THROTTLE COMBO

• Not compatible with Intelligent Throttle Control (iTC).

G2, G2L, G2S (except 2020 models equipped with 850 engine and 2019 & up models with 1000R engine, 6x6 models and T Category models) 715003250

#### \$229.99

Compatible with Intelligent Throttle Control (iTC).

G2, G2L, G2S (2020 models equipped with 850 engine and 2019 & up models with 1000R engine, 6x6 models and T Category models) 715004815



1 LED dimmer facilitates reading temperature settings.

2 4 temperature settings with individual controls for thumb and grips. Returns to previous heat setting.

#### WIRING CABLE

(Not illustrated) Required for installation of Heated Hand Grips & Throttle Combo. G2L 710004567

#### HEATED VISOR OUTLET

· Strategically positioned on vehicle to maintain your agility. Optional visor outlet that delivers fog-free riding. • Quick and easy installation. Sold individually. · Heated Visor not included. <u>G2, G2L</u> 715001246



## LIGHTS & ELECTRICAL 37



#### OUTLANDER

#### **HEATED PASSENGER GRIPS & VISOR OUTLET**

- Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- ·Heated visor outlet integrated into seat arm.
- G2, G2L (MAX models only)



G2 (2013-2014) (MAX models only) 715002116



#### **New ELECTRONIC DEVICE HOLDER**

 Robust injected-polypropylene construction allows for the right fit and easy installation. · Adjustable unit safely holds smartphones or small tablets with a length or width mesuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case. Integrated storage (0.6 Gal / 2.1L).

· Guiding wire grooves to pass charging cable through the lid. Possibility of relocating 12V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately). · Not compatible with windshields and Snorkel Kit.

#### G2, G2L (except 6x6 & X mr models) 715004919

È



Integrated storage with access to the dash 12V outlet for device charging

#### **CGX3 CAMERA**

#### 160° wide angle lens.

• Resolution options: From 3MP up to 20MP and VGA. · Video resolutions available: 2.7K at 30 frames per second (FPS), 720P at 120/60/30 FPS. 1080P at 60/30 FPS and VGA at 240 FPS. Becord videos in 4K UHD at 24 EPS 2 7K QHD at 30 EPS and 720P at 120 FPS.

Memory: Class 10 32GB Micro SD card. •2" (5 cm) capacitive touchscreen



#### CGX3 GIMBAL CAMERA STABILIZER

(Not illustrated)

• 3-axis full 360-degrees precision: Eliminates shaky video and allows vou to easily shoot pro-quality. cinematic-like footage with your Action Camera Built-in Bluetooth 4.0

 Independent APP to control the aimbal.



#### **BLUETOOTH HANDLEBAR SOUNDBAR BY MTX**

 Bluetooth speaker with the unbeatable convenience of fingertip control. Rugged IP66-rated weather-resistant speaker designed for outdoor use. Driven by 150 watts of quality audio power.

· Seamless integration and operation from Bluetooth enabled devices.

- Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable. Not compatible with XT Handlebar Protector Kit.

Compatible with iOS 8.0 and

· Rugged, full aluminum alloy.

-5-way joystick and multi-function

button for flexible operations and

Android 4.4 or above.

Rechargeable battery.

convenient switch.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded

sound quality. G2, G2L, G2S

#### 219400840



#### CGX3 POWER STICK MOUNT

· Features modes such as invert, time lapse, high speed and loop recording,

motion detection, capture (while recording a video), burst and anti-sharing.

· Li-ion battery capacity of 1050mAh, working time of 1/1.5 hours

•WiFi function remotely operates up to 33-49 ft (10-15 meters)

with mobile devices and Cyclops app for Android and iOS.

and charging time of 3 hours (2 batteries included).

·Waterproof up to 33 ft (10 meters) without a case.

• Comes with 8 mounting accessories.

#### (Not illustrated) 5200mAh of continuous power in your hand, when you need it. Rubberized silicone handle for comfort and grip. Power indicator light to let the user know when the battery is running low.

 Includes power hand grip, long screw, convert tripod mount, phone clip mount, USB mini cord, USB micro cord and adjustable strap. 9700100090



 Recharges your electronic devices while riding\* (smartphone, MP3,

heating gear, etc.). · Dual port USB connectors. \*The power outlet is not capable of recharging all device types while riding. G2, G2L, G2S

219400510





#### **OUTLANDER**

#### **BAJA DESIGNS HIGH BEAM KIT**

 Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play.

· Each spot is equipped with 4 Cree LEDs producing

4 900 lumens at 40 watts

 Driving/Combo light pattern for smooth blend of light for both near field applications and distance.



#### OUTLANDER | RENEGADE

#### 2" (5 CM) SQUARE LED LIGHTS (2 X 10 WATTS)

•2 x 900 lumens 10W LED Cree light kit. . Long-range illumination up to 350' (107 m), drawing less than 1 amp per light. Multi-Position Light Mount Kit is required for installation • Not EC compliant.

G2 (except X xc), G2L, G2S 715004293

#### **RAM<sup>†</sup> LED SPOTLIGHT**

• 540 lumens LED light (9 Watt) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.





## **MULTI POSITION LIGHT**

 Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm). • Required for the installation of the 2" (5 cm)

·Kit includes tube clamp mounts and power cables.

#### 715004274

(Not illustrated)

Low, Flashing.

1050mAh.

9700200090




· Easily take photos or record videos with the CGX3 Selfie Stick.



## 9700170090

## MOUNT KIT



## G2 (except X xc), G2L, G2S







CGX3 LED LIGHT CGX3 SELFIE STICK

(Not illustrated)

#### Wide-Angle 300 Lumen Max. (5500K-6000K) by 3 LEDs. Waterproof, attachable light

. Three modes of light: High, This selfie stick is Rechargeable battery:

baja designs.

ALL LED LIGHTS ARE NOT CREATED EOUAL. **BAJA DESIGNS** LIGHTS ARE COVERED BY **A LIFETIME** WARRANTY.

ELECTRICAL cb



## ACCESSORIES

Plug-and-play lighting upgrade gives eye-opening visibility, anywhere.

#### **AUXILIARY** WINDSHIELD LIGHTING

•2 premium LED spots for Deluxe Fairing for both increased output and

- directional lighting. • 1.800 lumens.
- 2 x 10W LED Cree light kit.
- . Long-range illumination up to 350' (107
- m), drawing less than 1 amp per light.

**Deluxe Fairing** 

715003115



#### RENEGADE

#### **CENTER CONSOLE** DAY LIGHT

- Mountable on top end of center console
- · Enhances look of vehicle. G2S (except X mr)

715000691





#### 39

#### **BATTERY CHARGER/MAINTAINER**

- Fully automatic 3 amp battery charger / maintainer.
- ·Keeps stored lead-acid batteries charged.
- · Charges and maintains small batteries.
- · Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- · Automatically detects 6 or 12 volt batteries.
- Float mode monitoring automatically maintains optimum battery charge. • Reverse hook-up protection helps protect battery and charger from damage.
- · Hook attachment hangs outside the work area for safety and convenience.
- Press the display button to show the charge progress.
- · Energy efficient/eco friendly, meets the highest industry standards for energy efficiency.
- Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual.



IGHTS & ELECTRICAL

#### JUMP STARTER

· IPX3 water-resistant and enclosed output ports. 4 LED battery indicators for easy read on battery charge level. · Compact design, will conveniently fit in your backpack, glove box or any other storage compartment. · Quickly starts vehicles in emergencies. • Great for powersport vehicles, motorcycles and 4 and 6 cylinder vehicles. •2.4A + 1A/5V USB ports for fast charging of all USB devices, including smartphones, MP3 players and tablets. · Smart cable provides protection against reverse polarity, short circuit, low voltage, high temperature and reverse charging.

• Built-in LED light (3 modes). Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag, user manual.

715005062

ACCESSORIES



#### GARMIN<sup>†</sup> MONTANA<sup>†</sup> 680T GPS

· Rugged and waterproof, the Montana 680T is element-proof. •4" (10.2 cm) dual-orientation, sunlight-readable touchscreen and glove-friendly touchscreen display, to give you vivid colors and high-resolution images. 8-megapixel autofocus camera automatically geotags photos.

- Tracks both GPS and GLONASS satellites for improved positioning
- and typically faster fixes. Preloaded TOPO maps, plus 1-year BirdsEye Satellite
- Imagery subscription.
- 3-axis compass with barometric altimeter

 Specific GPS cradle included (vehicle mounting kit required). · Includes a preloaded map for US.

G2, G2L, G2S European Version

· EC compliant. 715002830

 Includes preloaded European recreation maps. 715003456





#### · Quickly and easily connect and charge different items with your charger. Included in the Battery Charger/

battery health indication Sold individually.





## FOR HANDLEBAR

Garmin Montana GPS (not included) onto your unit's handleba



#### OUTLANDER | RENEGADE

## WARN<sup>†</sup> VRX

- Extreme IP68-rated waterproof sealing keeps the elements out.
- · Durable all-metal construction.
- Black powder-coated finish and stainless steel fasteners for corrosion resistance.
- Robust new clutch design based on 70+ years of WARN 4WD hub lock know-how.

#### New WARN VRX 25

 Pulling strength capability of 2,500 lb (1,134 kg). • 50 ft. of 3/16" (15 m of 4.8 mm) wire steel cable. Cast aluminum fairlead. G2, G2L, G2S 715006107

#### New WARN VRX 35

 Pulling strength capability of 3,500 lb (1 588 kg). •50 ft. of 3/16" (15 m of 4.8 mm) wire steel cable. Cast aluminum fairlead. G2, G2L, G2S 715006108





#### OUTLANDER

## CAN-AM HD

- · Heavy-duty 4-way roller fairlead. • Ergonomic clutch handle.
- · Rugged all-steel gears and bushings provide
- more torque and longer life. Automatic 100% load-holding brake.

#### New CAN-AM HD 2500 WINCH

 Pulling strength capability of 2,500 lb (1,134 kg). • 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. G2, G2L 715006414



· Weather sealed handlebar mounted switch. • EC compliant. New CAN-AM HD 3500 WINCH

 Pulling strength capability of 3,500 lb (1,588 kg). •50 ft. of 7/32" (15.2 m of 5.5 mm) wire steel cable. <u>G2, G2L</u> 715006415



**CANADIAN MAP FOR GARMIN MONTANA 680T GPS** 

· Additional and readily-programmable Canadian basemap for Garmin Montana 680T GPS system. Requires Garmin Montana 680T GPS (715002830).

715005408

Maintainer (715005061)

Sold individually.

#### New QUICK CONNECT **CABLE WITH BATTERY** INDICATOR

· Quickly and easily connect and charge different batteries with your charger. · 3-color LED indicator provides constant

EXPERT

CHOICE

Keep your

batteries charged

and ready to go,

automatically

and efficiently.






**GPS RAM MOUNT** 

· Convenient bracket for installing the

G2, G2L 715001985













## WINCHES 41

- · Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.
- Dash-mounted rocker control and corded remote.
- Limited lifetime warranty (mechanical), 3-year warranty (electrical).

#### New WARN VRX 35-S

- Pulling strength capability of 3,500 lb (1 588 kg). • 50 ft. of 1/4" (15 m of 6.3 mm) synthetic rope.
- · Cast aluminum fairlead.

#### G2, G2L, G2S 715006109

· Sealed solenoid for all-weather protection. · Wired Remote Control sold separately.



#### **OUTLANDER 6X6**

#### **REAR WINCH KIT**

- The remote-controlled rear winch is a godsend when you want to pull yourself out of a tough spot or move heavy loads
- Includes a fully-sealed Warn winch and all wiring and hardware needed for an easy and quick installation.
- Pulling strength capability of 3,000 lb (1,361 kg). • 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.

G2 (6x6 models only) 715002484







Cable (715004254) on Warn winches. To be used with synthetic winch cables only.

Warn winches 715004255

WINCHES

ACCESSORIES



The system is quick and easy

to install, thanks to a wiring harness

with an integrated antenna and

all necessary mounting hardware.

• The system allows you to operate

your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.

· All components are weatherproof.

**ROLLER FAIRLEAD** 

715000011 • Warn winches

705204571 - Can-Am HD winch

- 3,500 lb (1,588 kg) pulling strength.

Can-Am HD 2500

705014983

• 50 ft. of 3/16" (15.2 m

of 4.8 mm) wire rope.

Features top, bottom and side rollers for

less cable wear and smoother operation

**REPLACEMENT WIRE ROPE** 

· Play it safe, always carry a replacement wire rope.

ATV Warn winches

• 50 ft. of 7/32" (15.2 m

of 5.5 mm) wire rope.

ATV Warn winches

grade steel wire.

• 50 ft. (15.2 m) aircraft

705009321

from any direction for easier winching.

Warn winches

715002542

WIRELESS REMOTE CONTROL





#### WIRED REMOTE CONTROL

 This kit allows winch owners to add the hand-held remote to their winch. • EC compliant.

For ATVs with handlebar winch remote socket 710002270

ATVs without the winch remote socket Side panel Remote Socket (715003651) is required. 710001002

Can-Am HD winches 710004887



#### HOOK WITH SAFETY LATCH & STRAP KIT

· Heavy-duty winch-rope hook with stainless steel snap. Includes a nylon safety strap. Can-Am HD winches 705014949

#### SYNTHETIC WINCH CABLE

· Easier to manipulate than steel cable · Replaces the original cable on any factory installed Warn winch or sold as an accessory by BRP. · Kit includes synthetic rope and rock guard sleeve. Always use with new Hawse Fairlead (715004255). • 50 ft. (15.2 m). • 3,500 lb (1,588 kg) pulling strength. ATV Warn winches 715004254



can-am



#### (Not illustrated) • Required to install Warn Winch Kit (715006107, 715006108, 715006109) on 2016 and up models. · Required to install Can-Am HD 2500 Winch (715006414) and

Can-Am HD 3500 Winch (715006415) on G2L 2017 and up models. 715003477



#### OUTLANDER | RENEGADE

#### **FRONT & REAR HITCH DRAWBAR**

· Standard on 2" (5 cm) receiver hitch. It offers 1,500 lb (680 kg) of towing capacity · Hitch ball not included. <u>G2, G2L, G2S</u> 715000972



#### **European Version** • Drawbar with 2" (5 cm) hitch ball. 705208131 (T Homologated)

#### **REAR HITCH**

·E-coat finish. · Fixed hitch ball mounting bracket. · Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities.

• This hitch offers 1,500 lb (590 kg) of towing capacity. · Hitch ball not included.

#### G2, G2L, G2S (except 6x6 models) 715001925



## **REAR RECEIVER HITCH**

 E-coat finish. · Does not affect ground clearance.

- Trailer ball not included. • On 4X4 use, this hitch offers 1,654 lb (680 kg) of towing capacity. • On 6X6 use, this hitch offers 1654 lb (750 kg) of towing capacity.
- · Compliant with European T regulations. Not compatible with rear bumpers and G2L models.

G2S 2012 with 800R or 1000 engines, G2S 2013 & up, G2L & G2 715005186





Ask your dealer or visit canamoffroad.com for price details.

715006256

#### WARN REMOTE SOCKET

(Not illustrated) ·Winch remote socket, located on side panel, is required for wired remote control.





- WINCH WIRE HARNESS (Not illustrated)
  - Required plug-and-go wiring to install Warn winch only • Not required for Can-Am HD winches. G2L





## HITCHES 43

#### ADD TOWING CAPACITY FOR ALL YOUR **UTILITY HARD WORK**

## ACCESSORIES

#### **RUBBER RECEIVER PLUG**

• Rubber cap for 2" (5 cm) hitch receiver. 705204503





#### **OUTLANDER**

#### **FRONT RECEIVER HITCH**

- Front receiver hitch for Outlander
- with or without a winch. • This hitch offers 1,500 lb (590 kg) of towing capacity.
- · Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately
- Not compatible with Extreme Front Bumper, Rancher Bumper and ProMount Plows.
- <u>G2</u> 715000921







## PERFORMANCE

#### OUTLANDER

#### **OUTLANDER RADIATOR RELOCATOR KIT**

· Relocates radiator to top mount position. · Prevents cooling performance loss in muddy conditions. ·Uses existing radiator. Includes support, hardware and hoses. · Engineered for easy cooling system bleeding and maintenance. · Radiator not included.

ACCESSORIES



#### **OUTLANDER SNORKEL KIT**

 Comprehensive kit. · Extended air intakes and CVT exhaust. ·CVT outlet integrates into pod cover. Must be installed on a vehicle without XT Handlebar Protector Kit. · Ideal for muddy conditions. • For 6x6, appropriate gauge support is required for best fit and finish. · Not compatible with windshields.

#### G2 2015 & up, G2L (except X mr)

715005999

G2 (2012-2014 only) 715001730

#### G2 (X mr models only), G2L (X mr models only) Raised horn only. · Provides higher intake. • For best fit and finish, appropriate gauge support is required. 715002518

EXPERT

CHOICE

Aids in rider traction

and clears heavy

mud and snow debris with ease.



- Made from aluminum.
- · Replace original footwells. Feature large evacuation ports to avoid mud
- and snow accumulation in footwells. Aggressive design for improved traction.
- Not compatible with Body Side Protectors. Sold in pairs.

G2 2015 & up, G2L 715004759







Factory-design fit-and-finish for oustanding deep mud and water fording performance.

#### **X MR TRACTION PLATES**

 Provide extra foot grip for driver when riding in extreme mud conditions. Help driver maintain ideal riding position to maximize vehicle traction. · Made of aluminum. · Not meant for a passenger

#### G2, G2L (MAX models only)

715001752

#### FOOTPEG KIT Provides maximum integrated grip

and more stability during vigorous riding. ·Kick-up end generates added grip during hard cornering. · Made of aluminum. Sold in pairs. <u>G2, G2L</u> 715001131



**BELIEVE IT: YOUR RENEGADE** IS A FEW MODS AWAY FROM BEING A TRUE MUD-READY BEAST

CADARA EN RENEGADE SNORKEL KIT RENEGADE RADIATOR RELOCATOR KIT MUD STRAP

#### RENEGADE

#### **RENEGADE SNORKEL KIT**

 Comprehensive kit. • Extended air intakes and CVT exhaust. CVT outlet integrates into pod cover. · Ideal for muddy conditions. <u>G2S</u>

#### **ADAPTER KIT**

(Not illustrated) Necessary to install the G2S Snorkel Kit (715001928) on 2012 to 2014 models. G2S (for 2012-2014 models only)






#### OUTLANDER | RENEGADE

#### **MUD STRAP**


· Convenient sturdy grab-handle. Lets drivers redistribute their weight for improved traction in demanding conditions. Not compatible with XT Handelbar Protector Kit (703100352).

G2, G2L, G2S 715003053











#### **RENEGADE RADIATOR RELOCATOR KIT**

- · Relocates radiator to top mount position.
- · Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- · Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.
- Renegade Extreme Front Bumper (715002469) required for installation (except X mr).
- <u>G2S</u>



#### **RADIATOR PROTECTOR**

· Metal shield that mounts over radiator face, providing protection from stones and branches. G2, G2S (except G2S with 500 engine) 715001744



## YOSHIMURA SLIP-ON EXHAUST

Made from 304-grade stainless steel.
Better sounding, better looking and lighter than stock muffler.
USDF/USDA approved spark arrester.
NON EPA compliant (for racing application only).

• Not EC compliant.

• Fuel injection system tuning not required.

Not compatible with CARB, NRMM & T Category models 2018 and up.

#### OUTLANDER

<u>G2 2018 & prior (except 6x6 models)</u> 715001738 <u>G2 2019 & up (except 6x6 models)</u> 715005480



CHOICE

#### RENEGADE

G2S 2018 & prior (except 570 engine and X mr models) 715001739

G2S 2019 & up (except 570 engine and X mr models) 715005481



yoshimura

YOSHIMURA GIVES YOU THE EDGE WITH MORE

PERFORMANCE

**& LESS WEIGHT** 

can-am

#### Sound, engineering, and style: This exclusive slip-on Yoshimura exhaust roars like no other.

#### OUTLANDER | RENEGADE



#### FOX SHOCKS

 Engineered for the more agressive riders. Offer increased bump absorption and better roll control Offer a slightly firmer ride than standard kits but remain very versatile for all-around use Kit includes 4 shocks and springs. ·Rebuildable. Threaded preload adiusters. G2 2012-2018 (except X mr, XT-P, Limited & 6x6 models), G2 X mr 650 (2012-2018), G2S (Base model with 500 & 570 only), G2L & G2L MAX 715001471 \$999.99 G2, G2S 2019 715005469

#### FOX PERFORMANCE SHOCKS 1.5 PODIUM X RC2 HPG

 High-performance front and rear shocks. Allow handling to readily adapt to terrain and riding style. Easy-adjust dual-speed compression, rebound and preload settings. - Standard on G2S X xc. G2 2012-2018 (except X mr, Limited & 6x6), G2 X mr 650 & G2S (Base model <u>& X mr 570 only)</u> 715003201 \$1,999.99 G2 2019 715005470



#### FRONT SHOCK COVERS

- Feature ventilation holes.
- Offer added protection in rough terrain and weather conditions.
   Sold in pairs.

#### <u>G2, G2L, G2S</u> 715500301



#### HEAVY-DUTY SPRINGS

- · Heavy-duty springs provide enhanced stiffness.
- · Perfect for snow clearing and hauling heavy loads.
- · Improves handling and helps prevent accidental overturns.
- Sold in pairs.
- Standard on Outlander Pro and Mossy Oak models.
- Front

G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited), G2S (Base model with 500 & 570 engines only) 715003199

#### Rear

G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only), G2S (Base model with 500 & 570 engines only) 715003200

#### \$99.99

Front & Rear <u>G2 2019 (Base, DPS & XT models)</u> 715005159 New



#### FOAM AIR FILTER BY TWINAIR<sup>†</sup>

Maximizes performance by increasing air flow throughout RPM range.
 Maintenance-friendly, i.e. just wash, re-oil and re-use after riding in severely dusty/muddy environments.









#### **EMERGENCY KIT**

- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.
- Includes: Jumper Cables, Air Compressor, Tire Repair Kit, Ratchet Tie-Down, Duct Tape, Tow Strap 3,300 lb (1,500 kg), Zip-Ties, Cloth Rags.

#### 715006102



## ACCESSORIES

PERFORMANCI

## COVERS, DECALS & ADD-ONS

G2L (MAX

models only)

715002025

G2S (except

X mr models

715000683

#### OUTLANDER | RENEGADE

G2 (MAX

models only)

715001736

#### **TRAILERING COVERS**

· Heavy-duty canvas made of UV-resistant solution-dyed polyester. · Protect windshield and colored panels from abrasion. · All high-abrasion areas are reinforced with a double canvas layer.

Opening for fuel cap access.

G2 (except

MAX models)

715001737

Weather-resistant trailering cover protects your vehicle during transportation.

G2L (except

715002026

MAX models)

 Quick and easy installation. Designed to perfectly fit your vehicle with or without Can-Am accessories

db	
ល	
A	
Щ	
-	
ິດ	



#### **BOLT-ON<sup>†</sup> RETRACTABLE RATCHETING TIE-DOWNS**

· Perfect for transporting your powersport vehicle or securing loads. • Mounts easily: Bolts on any flat surface (e.g. truck bed or frame). 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength Convenient retractable push button automatically slackens, spools

and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place. · Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into. Sold in pairs.

295100737



#### LOCKABLE GAS TANK CAP

 Protects your fuel. Meets EPA requirements <u>G2, G2L, G2S</u>



LICENSE PLATE BRACKET · Provides specific area to install license plate. Mounts to rear of vehicle

G2L G2S 715001401 715002498



#### STORAGE COVERS

·Weather-resistant storage covers. · For vehicle storage only. ·UV-resistant solution-dyed polyester construction. Quick and easy installation. Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2, G2L, G2 Xmr G2, G2L (MAX (except 1000), G2L models only) Xmr, G2S, G2S Xmr 715001668 715001720

G2, G2L (except MAX models) 715001597 · Mossy Oak Break-Up Country Camo

G2 MAX, G2Xmr

1000, G2L MAX

Oak Break-Up

Country Camo

715001735 · Mossy



FLAG

riding.

## APACHE TRACK SYSTEMS

Each track has a specific purpose and is designed without compromise for work and play. Whether it's for deep snow riding, trail riding or for heavy loads, Apache tracks are akin to floating across the terrain.

## WINTER TRACKS



## **APACHE** BACKCOUNTRY

Finally explore winter with no traction limitations and no compromise, thanks to the unmatched performance of Apache Backcountry track kits. Engineered to thrive in the deepest snow-for work or play. Don't let winter stand in the way. P.50

MIXED

CONDITIONS

**RATCHET TIE-DOWNS** 

• 1" x 10' (2.5 cm x 3 m) strap with Can-Am,

•400 lb (181 kg) safe working load.

· Deluxe ratchet with rubber handle.

Sea-Doo, and Ski-Doo logos.

860200447 · Black/Grey

Coated S hooks.

Pack of 2.

 Make sure everyone knows what you're Perfect for the dunes and new riders. can-am -8-foot (2.4 m) length. Includes flag mount

FLAG MOUNT 715000127

(715000127). 715000277 • Yellow

> **STORAGE COVER** (Not illustrated)

 For storage use only. for secure fit. 100-denier polyester construction. G2 (6x6 models only)





DECAL • 6" x 12 3/4" (15 cm x 32 cm).

## 704901483



 Heavy-duty elastic cord around bottom · Fits with or without windshield and mirrors.

YEAR ROUND TRACKS

These track kits improve your vehicle's ground clearance and increase its contact patch with the terrain. Adapt your track setup to the conditions you'll be riding in and the purpose of your ride, with the Apache 360 and 360 LT systems: as our all-season, all-terrain masterpieces. P.51-52

## TRACK SYSTEMS

## WINTER TRACKS

#### GET THE MOST OUT OF YOUR CAN-AM ATV THIS WINTER FOR ALL YOUR ENDEAVORS.

Explore without compromise, Ride on untouched trails, traveling deep into winter's embrace and you'll know: The same technology behind our world-renowned snowmobiles is at your command. With a larger contact patch, and more aggressive track design, travel beyond what you thought possible with the best snow performance.

COVERED BY A **1-YEAR** WARRANTY

## OUTLANDER | RENEGADE **APACHE BACKCOUNTRY**

**EFFICIENT FRAME AND RAIL DESIGN ENSURES WEIGHT IS EVENLY DISTRIBUTED ON SNOW** 

LARGEST CONTACT PATCH ANYWHERE: 23% MORE THAN THE APACHE 360 LT

EASY-TO-OPERATE SNOWMOBILE-TYPE SLIDING TENSIONER

### **IDLER WHEEL KIT**

· Reduces drag and rolling resistance. Includes 2 wheels, brackets and hardware Add up to 2 kits per rear track. Can extend slider life in hardened snow conditions Apache Backcountry Track System (rear tracks only)

#### 860201230 · 141 mm





 Use DuPont Vespel inserts for less friction. Longer life. · Can be cut to desired length. 8 needed per vehicle. ·Sold individually.

## Apache Backcountry Track System



#### **RAIL ICE SCRATCHERS**

 Provide additional lubrication in hard and icy conditions. ·Rail mounted, small, light, Design expands on coil concept to allow reversing without damage. · Easily stored when not in use. Apache Backcountry Track System



## YEAR ROUND TRACKS WORK & PLAY YEAR ROUND

THROUGH MUD, SNOW, & ALL TYPES OF TERRAIN.

Rise above terrain, weather, and whole seasons with the Apache 360, 360 LT and 360 LT 6x6 track kits - the upgrade that takes the Can-Am experience to another level. Designed for superior traction and carrying heavier loads in soft terrain, they can be used with your ATV year round for exploring and completing tough tasks.

COVERED BY A 2-YEAR WARRANTY

## OUTLANDER | RENEGADE **APACHE 360 & 360 LT**

APACHE 360 ADDED GROUND CLEARANCE OF 4.5" (11.4 CM)



TOTAL GROUND SURFACE AREA: 2.079.7 IN<sup>2</sup> (13.417 CM<sup>2</sup>)

UNIQUE ADJUSTABLE CONTACT PATCH SYSTEM TO TACKLE THE TOUGHEST YEAR-ROUND CONDITIONS



#### **APACHE 360 TRACK SYSTEM**

· Multifunctional tracks perfect for any Can-Am ATV. • Average ground clearance of 16" (41 cm). • 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. Apache 360 & 360 LT Mounting Kit and engine and CVT air intake pre-filters are required.

G2 (except 6x6 models), G2L, G2S



G2, G2S, G2L 715005103



715003042

· For winter use only.

required.

Apache 360 LT

**APACHE BACKCOUNTRY** 

Designed to deliver the best flotation level

Impressive added ground clearance of 7"

(18 cm), keeps the vehicle out of deep snow.

Aggressive track design with 2" (5 cm) lug

height for maximum traction on snow.

Apache Backcountry Mounting Kit and

G2 (except 6x6 models), G2S, G2L

engine and CVT air intake pre-filters are

· Contact patch is 23% bigger than the

and deep-snow performance on the market.

**TRACK SYSTEM** 



CCESSORIES

RUBBER OVER MOLDED HEAVY-DUTY DOUBLE **BEARING WHEELS AND OFFSET WHEEL** SPACING REDUCE FRICTION AND VIBRATION WHILE ENSURING RELIABILITY

**GROUND SURFACE** AREA IS 7 TO 9% LARGER THAN THE APACHE 360's

#### **APACHE 360 LT TRACK SYSTEM**

 Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles. • Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered. • Average ground clearance increase of 4.5" (11.4 cm). • 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.

- Apache 360 LT Mounting Kit, Track DPS Module and Engine & CVT Pre-Filter Kit are required.
- Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 & 360 LT Mounting Kit, Track DPS Module and engine and CVT air intake pre-filters are required.



ACCESSORIES

## **OUTLANDER 6X6 APACHE 360 LT 6X6** ADDED GROUND CLEARANCE OF 4.5" (11.4 CM)



RUBBER OVER MOLDED HEAVY-DUTY DOUBLE **BEARING WHEELS AND OFFSET WHEEL** SPACING REDUCE FRICTION AND VIBRATION WHILE ENSURING RELIABILITY

#### **APACHE 360 LT (6X6) TRACK SYSTEM**

• Multifunctional tracks designed to support heavy loads and to • Average ground clearance increase of 4.5" (11.4 cm). fit on most Can-Am off-road vehicles. • Front wheel height adjustment provides enhanced attack angle • Apache 360 LT Mounting Kit, Track DPS Module and Engine

and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered. •Reliable heavy-duty build. G2, G2L (6x6 only)

& CVT Pre-Filter Kit are required.

 EC compliant. • Exclusively for the Outlander 6x6. · Recommended for use on snow only.

# ATV TRACK EVETEM EITTINC CUID

Track Kit	Vehicle	Mounting Kit	DPS Module	Pre-Filter
APACHE BACKCOUNTRY 715003042	G2, G2S 2018 & prior & G2L	715004830	715005243	
	G2, G2S 2019 & up	715004796	Models with Intelligent Throttle Control (iTC™): 715004707 Everything else: 715005243	
<b>APACHE 360</b> 715005240	G2, G2S 2018 & prior & G2L	715004829	715005243	Air Intake Pre-Filter
	G2, G2S 2019 & up	715004795	Models with Intelligent Throttle Control (iTC™): 715004707 Everything else: 715005243	715004729 + CVT Air Intake
<b>APACHE 360 LT</b> 715005103	G2, G2S 2018 & prior & G2L	715004829 + 715003063 (adaptor)	715005243	Pre-Filter 715003483 Standard on G2 models and G2L PRO model
	G2, G2S 2019 & up	715004795 + 715003063 (adaptor)	Models with Intelligent Throttle Control (iTC™): 715004707 Everything else: 715005243	
<b>APACHE 360 LT 6X6</b> 715005104	G2 2018 & prior, G2L (6x6 models)	715004991	Models with Intelligent Throttle Control (iTC™): 715004707	
	G2 6x6 models 2019 & up	715005105	Everything else: 715005243	

#### **APACHE BACKCOUNTRY MOUNTING KIT**

(Not illustrated) • Required for installation of the Apache Backcountry Track System. • DPS module and pre-filter are required and sold separately. G2 2018 & prior, G2S 2018 & prior, G2L G2 2019, G2S 2019 715004830

APACHE 360 & 360 LT MOUNTING KIT

• Required to install Apache 360 & 360 LT Track Systems. • Requires Apache 360 LT ATV Adapter (715003063) for installation

of the Apache 360 LT Track System. DPS module and pre-filter not included.

G2 2018 & prior (except 6x6 models),

**APACHE 360 LT ADAPTOR** 

G2 (except 6x6 models), G2S, G2L

· Required to install an Apache 360 LT Track System.

• Apache 360 and 360 LT Mounting Kit also required.

(Not illustrated)

715004829

G2S 2019 715004795

(Not illustrated)

715003063

715004759

G2S 2018 & prior, G2L

G2 2019 (except 6x6 models),



Models without Intelligent Throttle Control (iTC<sup>™</sup>) 715005243

<u>G2, G2L, G2S</u>

G2 6x6 models 2019 & up



G2 2018 & prior,

G2L (6x6 models)

715004991

715004729

· Easy, tool-less installation.



#### New SELF-CLEARING FOOTWELLS

 Made from aluminum. · Replace original footwells. Feature large evacuation ports to avoid mud and snow accumulation in footwells. Sold in pairs. G2 2015 & up, G2L

 Aggressive design for improved traction. Not compatible with Body Side Protectors.





715005104

•1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.

#### **TRACK DPS MODULE**

(Not illustrated)

• An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.

· Required to install the Apache Track Systems.

Models with Intelligent Throttle Control (iTC) 715004707

#### **ENGINE AIR INTAKE PRE-FILTER**

· Adds extra protection to your engine in harsh riding conditions. • Filter blocks particles larger than 0.005" (0.13 mm).

· Necessary to maintain vehicle warranty when tracks are installed.



#### **CVT AIR INTAKE PRE-FILTER**

·Adds extra protection to your engine in harsh riding conditions. • Filter blocks particles larger than 0.007" (0.19 mm).

· Necessary to maintain vehicle warranty when tracks are installed. · Required to install the Apache and Backcountry Track Systems • Standard on Outlander 650, 850, 1000, 1000R engines and G2L PRO.







Aids in rider traction and clears heavy mud and snow debris with ease.

TRACK SYSTEMS

CCESSORIES

## PROMOUNT PLOWS

**OUALITY &** RELIABILITY

PATIBILITY

STYLE VISION

The new ProMount lineup was created for both professional operators and enthusiasts looking to take their tool kit to the next level. Designed to work as efficiently as possible, Can-Am reimagined the plow from mount to blade. OUTLANDER | RENEGADE

## **CAN-AM PROMOUNT STEEL PLOWS**

Consult your dealer for the best plow width. Made from 12-gauge steel and designed for efficient plowing, the ProMount steel blades are offered in multiple sizes to fit jobs large or small.

#### CAN-AM PROMOUNT STEEL PLOW KITS 54" (137 CM) BLADE

60" (152 CM) BLADE G2, G2L, G2S 715005201 · Black 715005434 • Yellow

## MOST EFFICIENT MOUNTING SYSTEM



plate provides the optimal angle of attack for best push strength.

The forward mounted push frame provides industry leading lift height.

Low profile mounting plate has little impact on ground clearance and can be left installed year round.

## CONNECTS WITH A CLICK

Attachable in FOUR EASY STEPS, the Can-Am ProMount plow system is the fastest, easiest way to start plowing and get the job done-minimal effort for maximum result.



Drive straight toward the plow.



Attach the winch cable to the plow using a guiding hook/roller.



Lift the plow until it clips onto the mounting plate.



Remove the winch cable from the guide. You're ready to plow.

#### These kits include: · Can-Am ProMount Steel Blade G2, G2L, G2S Push Frame with 715005200 · Black Quick-Attach System 715005428 · Yellow Mounting Plate

## CAN-AM PROMOUNT STEEL BLADES

and Edge Markers.

715005316 • Yellow

 Blades available individually to create your own kit. Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows)

#### 54" (137 CM) BLADE 60" (152 CM) BLADE Not compatible with ProMount Clears 54" (137 cm) when plow

Drift Cutters, Blade Extensions is fully angled. Blade height of 17" (43 cm). ·Clears 50" (127 cm) when plow Fits ProMount Push Frame

is fully angled. 715004202 · Black •Blade height of 14.75" (37 cm). 715005317 • Yellow Fits ProMount Push Frame 715004472 • Black



## PROMOUNT PLOWS 55



66" (168 CM) BLADE

G2, G2L, G2S 715005427 · Black 715005435 • Yellow

54" (137 cm)

60" (152 cm)

66" (168 cm)

66" (168 CM) BLADE ·Clears 60" (152 cm) when plow is fully angled.

Blade height of 17" (43 cm). AVAILABLE IN AUGUST 2019 Fits ProMount Push Frame 715006337 • Black 715006338 • Yellow

#### New

72" (183 CM) BLADE

·Clears 66" (168 cm) when plow is fully angled. Blade height of 17" (43 cm).

AVAILABLE IN AUGUST 2019 Fits ProMount Push Frame 715004474 • Black 715006021 • Yellow

72" (183 cm)

66" (168 cm)

60" (152 cm)



by choosing any plow type/length that you'd like for your push frame. **ProMont Push Frames are compatible** with all the blades.

PLOWS

## **CAN-AM PROMOUNT FLEX2 PLOWS**

HMWPE (High Molecular Weight Polyethylene) technology gives Flex2 greater reliability, resistance to impact, and immunity to rust or deformation. Tough on jobs but flexible in the face of obstacles, the Flex2 blade simplifies work.

#### CAN-AM PROMOUNT FLEX2 PLOW KIT

This kit includes: Can-Am ProMount Flex2 Blade Push Frame with Quick-Attach System Mounting Plate

60" (152 CM) BLADE G2, G2L, G2S 715005202 - Black

PLOWS



### CAN-AM PROMOUNT FLEX2 BLADES

 Blades available individually to create your own kit. Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

60" (152 CM) BLADE • Clears 54" (137 cm) when plow is fully angled. Fits ProMount Push Frame 715004203 - Black

New 72" (183 CM) BLADE • Clears 66" (168 cm) when plow is fully angled. AVAILABLE IN AUGUST 2019

Fits ProMount Push Frame 715004485 • Black

60" (152 cm)

60" (152 cm)



by choosing any plow type/length that you'd like for your push frame. **ProMont Push Frames are compatible** with all the blades.

72" (183 cm)



## YOUR JOB, YOUR CHOICE

Get a custom solution that truly fits the task at hand—with quality components and no cut corners. The ProMount push frame, mounting plate and blades are a universal system that can be adapted to your specific Can-Am and jobsite.

#### OUTLANDER | RENEGADE

#### CAN-AM PROMOUNT PUSH FRAME WITH QUICK-ATTACH SYSTEM

· Heavy-duty steel tubes designed to withstand the roughest use.

· Mid-mount carriage provides ultimate push strength and traction.

• Designed for maximum plow lift height.

• Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment. · Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan · Can-Am ProMount Mounting Plate required for installation

· Blade swivels left or right, 5 positions

 Large pin designed for easy blade rotation to eliminate dirt


and snow buildup at pivot point. G2, G2L, G2S

715004339



#### **CAN-AM PROMOUNT MOUNTING PLATE**

• Required to install the Can-Am ProMount Push Frame with Quick-Attach System. • Mounting plate precision-designed to stay on year round without compromising ground clearance. · Fits on ATVs, Maverick Trail or Maverick Sport with or without Can-Am Skid Plat










#### **CAN-AM PROMOUNT** PUSH FRAME EXTENSION

• 12" (30 cm) push frame extension. G2, G2L, G2S 715004204



## **CAN-AM PROMOUNT PLOW ACCESSORIES**

#### **CAN-AM PROMOUNT EDGE MARKERS**

· Help locate the edges of your plow. • Height: 24" (60 cm). Sold in pairs. Compatible with Can-Am ProMount Steel and Elex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades). G2, G2L, G2S

715004206

E

h

SSELLO

#### **CAN-AM PROMOUNT DRIFT CUTTERS**

 Help keep snow in the plow. • Dimensions: 17" x 13" (43.2 cm x 33 cm). Sold in pairs. Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

G2, G2L, G2S 715004207

#### **CAN-AM PROMOUNT PLASTIC WEAR BLADE**

• To help prevent scratches on smooth driveways and markable surfaces.

G2, G2L, G2S 54" (137 cm) 715004480

60" (152 cm) 715004481

New

715004483

#### **CAN-AM PROMOUNT BLADE EXTENSIONS**

#### · Add 3" (8 cm) each side. Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).

· Longer Wear Blade can be installed to further extend the extra length already provided by the extensions. Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades) G2, G2L, G2S

715004205 · Black 715005319 • Yellow

#### **PULLEY KIT**

· Pulley kit to be used in conjunction with the winch when using a snow plow Recommended to increase winch efficiency. • To be used with the XT Front Bumper 715000279



· Improve your traction in mud and snow. Sold in pairs.

<u>26" x 10" x 12"</u> 715500218

27" x 9" x 14"

715000225

#### **REAR TIRE CHAINS**

\$79.99 25" x 10" x 12"

#### ITP TERRACROSS TIRE

 This smooth-riding tire will command every bit of traction from the ground while still managing to float across loose snow, sand and mud. Features extreme-duty construction for improved puncture protection, extra-tough rubber compound for increased tread life, and the interlocking tread pattern and wide footprint make it one of the toughest and grippiest radials around. • Not EC compliant. G2 XTP, G2 Limited Front • 26" x 8" x 14" Rear • 26" x 10" x 14" 705401906 705502421

#### **ITP CRYPTID TIRE**

· Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mud without compromising ride comfort on trails and hard pack. • 6-ply rated. • 30" x 9" x 14". G2 X mr 850 & 1000R 2018 & up, G2S X mr 1000R 2018 & up 705402178



#### **ITP MEGA MAYHEM**

• 1.5" tread depth mud thrower tires. Surprisingly smooth ride on hard pack surfaces. · 6-ply rated. G2 X mr 570 & 650 2018 & up, G2S X mr 570 2018 & up Front Rear 28" x 9" x 12" 28" x 11" x 12" 705402131 705502645



#### **GORILLA SILVERBACK TIRE**

 AT30X9-14 Gorilla Silverback mud tire. Sold individually. •Not EC compliant. G2 (850 & 1000 models only) <u>30" x 9" x 14"</u> 705400962



MAXXIS MUDZILLA TIRE • Not EC compliant. G2 (X mr 570 & 650 models only) Front Rear 28" x 8" x 12" 28" x 10" x 12" 705401391 705501836



\*Consult your operator's guide/owner's manual for proper tire type and rim sizing. Improper tire type and rim selection may affect vehicle handling. Check with your local authorities for proper regulation.

· Larger diameter lower roller reduces wear on wire rope for plow application. · Can be used with all ProMount plows G2, G2L, G2S




#### SYNTHETIC WINCH CABLE FOR PLOWING

 Specially designed for plowing applications. •8' (2.4 m) section of durable, extra-strong synthetic rope. Stands up to repeated, sharp angle pulls used to lift heavy plow blades. Temporarily replace your winch rope for plow season to save wear and tear on wire rope. 715000540

















#### 66" (168 cm) 72" (183 cm) 715004482

## TIRFS

**GROUND-GRIPPING TRACTION** MEETS LOOSE MUD MANEUVERABILITY. THE TOUGH TIRE WITH THE SMOOTH RIDE

#### **ZILLA TIRE BY MAXXIS\***

 Sold individually. Front 27" x 10" x 14" 705401302

Rear <u>27" x 12" x 14"</u> 705501703



#### **CARLISLE ACT TIRE**

G2 (500-1000 XT models only) Front 26" x 8" x 12" 705401333

705401334 · CE Rear <u>26" x 10" x 12"</u> 705501769

705501770 · CC

#### CARLISLE ACT HD TIRE

Front 26" x 8" x 12" 705401736

Rear 26" x 10" x 12" 705502297

#### G2 (400 XT models only) Front 25" x 8" x 12" 705400606

705400326. 🤆

Rear <u>25" x 11" x 12"</u> 705500933

#### **CARLISLE BADLANDS** A/R TIRE

G2 (500-1000 Base models only) Front 26" x 8" x 12" 705401331

705401332 · CE


Rear 26" x 10" x 12" 705501767

705501768 · CE





#### **CARLISLE TRAIL WOLF TIRE**



**ITP HOLESHOT ATR TIRE** 

Rear 270/60R12

705500820. (€

<u>25" x 10" x 12"</u>

705500926



#### **KENDA KLAW MXR TIRE**

DS 90 X Front - 20" x 6" x 10" Rear - 18" x 10.5" x 8" V42712DGF01HLL V42711DGF01HLL



#### **REAR TIRE CHAINS**

· Improve your traction in mud and snow. ·Sold in pairs. <u>25" x 10" x 12"</u> 26" x 10" x 12" <u>26"x 9" x 12"</u> 25" x 11" x 12" <u>27" x 9" x 14"</u> 715500218 715000225



#### **DURO THRASHER TIRE**

DS 90/70 Front - 19" x 7" x 8" V42711DGF000LL





#### **KENDA KNARLY TIRE**

DS 250 Front - 22" x 7" x 10" S44710RCA000

Rear - 20" x 11" x 9" S42710RCA000



RIMS


14" RIM

 Premium cast aluminum black painted with machining and clear coat rim. ·Center hole: 72 mm.

• Bolt circle pattern: 4/136 mm. G2 DPS, G2 XT, G2 MAX 650, G2 MAX XT, G2 MAX Limited

Front - 14" x 6.5" offset = 40 mm

Rear - 14" x 8.5" offset = 50 mm 705401853 • Black and machined 705502402 • Black and machined



705401851 • Silver with clear coat

705502401 · Black with clear coat 705502400 • Silver with clear coat

NOTE: Matching Nuts - 250100100 Black, 250100082 Chrome / Matching Cap - 705400928



#### 14" RIM

G2 DPS, G2 XT, G2 MAX Limited, G2 North Edition, G2 MAX North Edition Front - 14" x 6.5" offset = 40 mm Rear - 14" x 8.5" offset = 50 mm 705402309 · Black and machined

705502770 • Black and machined

705402222 · Black with clear coat 705402307 • Silver with clear coat

705502702 · Back with clear coat 705502768 • Silver with clear coat



#### **OUTLANDER X MR** AND DEFENDER RIM

· Cast aluminum rim with trend setting explosive styling so you can ride and look - like a trailblazer.

X mr models front and rear wheels Front 14" x 6.5" offset = 10 mm

705401848 • Black and machined 705401849 · Black



NOTE: Matching Nuts - 250100100 Black. 250100082 Chrome / Matching Cap - 705401541

#### **OUTLANDER RIM** (CAMO MODEL)

 Black with clear coat aluminum rim G2, G2L, G2S Front - 12" x 6" offset = 41 mm 705401127 • Black with clear coat

Rear - 12" x 7.5" offset = 51 mm 705501493 · Black with clear coat



#### **12" BEADLOCK RIM**

· Black with clear coat aluminum rim. · Needs 16 bolts (250000435) for installing the beadlock. · Choice of beadlock color (not included). <u>G2, G2L, G2S</u> Front - 12" x 6" offset = 41 mm 705401678 · Black

Rear - 12" x 7.5" offset = 51 mm 705502244 • Black

#### 12" BEADLOCK

·Cast aluminum beadlock. Must be installed on Front Rim (705401678) and Rear Rim (705502244). G2, G2L, G2S 705401763 • Can-Am Red

705401156 • Yellow 705401533 • Orange Crush 705401812 • Manta Green



NOTE: Matching Nuts - 250100100 / Matching Cap 705400928

\*Consult your operator's guide/owner's manual for proper tire type and rim sizing. Improper tire type and rim selection may affect vehicle handling. Check with your local authorities for proper regulation.

<u>G2S</u>

Front 205/80R12

705400475.€€

<u>25" x 8" x 12"</u>

705400600

æ

LIRES

61



#### **OUTLANDER X MR RIM -**ITP-SS212\*

· Black with machining and clear coat rim. Sold individually.

G2 (X mr models only)

Front and Rear - 14" x 6"

705400877 • Black and machined



NOTE: Matching Nuts - 250100100 / Matching Cap - 705400963

#### LOCKOUT 393 14" RIM **BY VISION\***

Sold individually.

Front - 14" x 7" Bolt circle pattern: <u>4/136 mm</u> Wheel offset: 4 + 3 705401363

<u>Rear - 14" x 8"</u> Bolt circle pattern: <u>4/136 mm</u> Wheel offset: 4 + 4 705501787



NOTE: Matching Nuts - 250100100 Matching Cap - 705401362

#### **14" BEADLOCK RIM**

- · Black with clear coat aluminum rim.
- Choice of beadlock color (not included).
- Needs 16 bolts (250000435) for installing the beadlock.
- <u>G2</u>

Front - 14" x 6.5" offset = 41 mm 705401594

Rear- 14" x 8" offset = 51 mm 705502146

#### 14" BEADLOCK

· Cast aluminum beadlock. Must be installed on Front Rim

(705401594) and Rear Rim (705502146).



NOTE: Matching Nuts - 250100100 / Matching Cap 705400928





#### CAN-AM SPORTSWEAR 64



#### PULLOVER HOODIE 60% Cotton, 40% Polyester Fleece 286708 • S-3XL Khaki (05), Black (90)



CAN-AM SHIRT 60% Cotton, 40% Polyester 454074 - S-3XL Khaki (05), Black (90)	New LONG SLEEVE Druginal Tee Bastin - S-3XL White (01), Green (70)
New ORIGINAL TEE	New X-RACE TEE

5/11

286712 · XS-3XL Heather Grey (27) Black (90)







New INTRUSION TEE

100% Cotton 286716 · XS-3XL Heather Grey (27), Green (70), Black (90)





95% Cotton, 5% Spandex 286715 • XS-2XL White (01), Black (90)





EN 277

#### **ADVENTURE TEAM JERSEY**

·Quick-dry, antibacterial, moisture-wicking fabric. Extended back for coverage while riding. Mesh fabric for extra ventilation underarms Non-fading sublimated graphics 100% Polyester 454072 • S-3XL Sunburst Yellow (96), Red (30)



#### New X-RACE JERSEY

·Ultralight, quick-dry, antibacterial and moisture-wicking fabric. Mesh fabric for maximum breathability. · Extended back for coverage while ridina. Non-fading sublimated graphics. 100% Polyester. 286710 • S-3XL Orange (12), Green (70)



#### New LADIES' TEAM JERSEY

·Semi-fitted cut specifically designed for ladies. ·Quick-dry, antibacterial, moisture-wicking fabric for maximum comfort. Mesh fabric for extra ventilation underarms. Non-fading sublimated graphics. 90% Polyester, 10% Spandex 286711 • XS-2XL Orange (12), Green (70)



## MUD GEAR

#### **MUD JACKET**

• 100% waterproof PVC. · Electronically-welded seams · Underarm and rear vent panels. 2 hand pockets. Elastic cuffs. · Drawstring hood and hem. Polyvinyl Chloride (PVC) 286676 - S-2XL Clear (00), Matte Black (93)



RIDING





#### New CLASSIC CAP

New ORIGINAL CAP

Plastic ajustment strap at back.

 Plastic ajustment strap at back 100% Cotton

447702 • One size • Charcoal Grey (09), Black (90)





#### New X RACE CAP Mesh at back. · Plastic ajustment strap at back. 55% Cotton, 45% Polyester

286705 • One size • Orange (12), Green (70), Black (90)



#### New INTRUSION FLAT CAP

- Mesh at back.
- Plastic ajustment strap at back
- 100% Cotton
- 286706 One size Black (90)



#### MUD PANTS

- · Oversized pants made of 100% waterproof PVC.
- · Electronically-welded seams.
- Strategically placed ventilation.
- Side openings at bottom leg. Polyvinyl Chloride (PVC)

286128 • S-2XL Clear (00), Matte Black (93)





RIDING GEAR



## HELMETS

Mark.



#### **FEATURES & BENEFITS**

 4-year limited warranty •Weight: ±1420 g for size Large to maximize cooling effect. polycarbonate with impact absorbing liner.

#### **New XC-4 CROSS TEAM HELMET**

· Can-Am branded. Shell: Polycarbonate Composite 448608 · XS-2XL

**DOT ECE**22.05



## ENDURO

Designed for long rides and high adventure.

#### **FEATURES & BENEFITS**

 Offers the dual experience of riding with a visor helmet plus the look and advantages of an MX helmet.

- Advanced plastic composite shell.
- · Lockable, multi-positions and anti-scratch visor.
- Interchangeable retractable sun visor.
- Removable aerodynamic peak.
- · Ultra-comfort and washable Dri-Lex<sup>†</sup> linings. Oversized and vented chin deflector.
- · Adjustable air vents and exhausts.

**EX-2 ENDURO** HELMET Shell: Polycarbonate Composite 448466 • XS-2XL • Black with graphics (94)

**DOT ECE**22.05



XP-3

Superlight cross-style helmet: Feature-packed for exceptional performance, protection and comfort.

#### **FEATURES & BENEFITS**

 4-year limited warranty. • Weight: ±1380 grams for size Large. Premium shell construction using superlight fiberglass and impact absorbing EPS liner.

- · Aero-tuned fully adjustable visor system.
- · Custom stainless grill design.
- Front and rear hi-max air vent
- system to maximize cooling.
- Removable, washable and replaceable CoolMax<sup>™</sup> moisture-wicking liner.
- · Lightweight double-D chin strap.
- Triple certified: DOT, ECE
- and SNELL M2015.

- New XP-3 PRO CROSS X-RACE HELMET
- Shell: Fiberglass 448612 • XS-2XL Charcoal Grey (07), Green (70)

DOT Snell ECE22.05



DUST MASKS

· Easily replaceable filters remove 99.9% of airborne dust, particles, pollen and odors.

- · Made from soft yet durable neoprene material
- that fits snugly under helmets and goggles. • XS/S fits most kids 12 and under, M/L fits most riders and XL/2XL fits larger frames (235+ lbs).
- Includes 2 replacement filters and a small storing pouch.
- Replacement filter (447719) available.



#### COMMUNICATION SYSTEM

#### SENA 30K BLUETOOTH COMM SYSTEM

- Bluetooth headset that operates on Sena's Mesh Intercom<sup>™</sup> technology. • The 30K has a new quick charge feature meaning just 20 minutes of charging gets riders an impressive 5 hours of Bluetooth intercom use, or 3 hours Mesh Intercom use. • 2.4 GHz frequency, connecting to other riders in an entirely new way.
- Should one of the group's riders go out of range, the Mesh Intercom intelligently keeps the rest of the group in seamless communication, while actively searching to reconnect, should that rider come back within range.
- Using the private group mode, the 30K can pair in full duplex communication with up to 16 riders at a range up of to 1.2 miles (2 km).
- · Sena 30K Audio Multitasking technology allows you to have a conversation via Adaptive Mesh-Networking technology while simultaneously enjoying Bluetooth operations such as streaming smartphone music, taking or making phone calls, or listening to turn-by-turn GPS navigation.

\*Some models and accessories shown may not be available or homologated in your country. Contact your BRP dealer or local authorities for information.

#### Motocross style that combines lightweight construction, comfort and features beyond its price range. Value you can't ignore.

- Front and rear hi-max air vent system
- · Shell construction is superlight

- · Fully adjustable visor system.
- Removable, washable and replaceable moisture-wicking liner.
- ·Winter breath deflector (sold separately).
- · Lightweight double-D chin strap.

Durable multi-colored clear coated graphics.

Charcoal Grey (07), Red (30)



**CAN-AM ORIGIN DUST MASK** 448524 • XS/S, M/L, XL/2XL • Black with graphics (94)

#### **CAN-AM VENTED DUST MASK**

448525 • XS/S, M/L, XL/2XL • Black (90)



SINGLE PACK 448610 · One size · Black (90)

DUAL PACK 448611 · One size · Black (90)



67



ΣR

RIDIN

#### GOGGLES

#### **CAN-AM RACE SAND GOGGLES BY SCOTT**

 Dust catcher vent foam · Custom painted frame and strap graphics. UV protected Lexan<sup>®</sup> lens with No Fog<sup>™</sup> anti-fog lens treatment. · Hypoallergenic multi-layer face foam. · Durable and anti-slip full strap attachment.

448638 • One size • Black (90)



#### **CAN-AM TRAIL GOGGLES BY SCOTT**

• UV protected Lexan® lens. · Hypoallergenic super-soft face foam. Speed Strap attachment system compatible (sold separately).

448616 • One size • White (01), Red (30), Black (90)



### GLOVES

#### New X-RACE GLOVES

· Air mesh panels for ventilation and mobility. • Double Clarino<sup>†</sup> layer at palm and thumb for extra durability and comfort. • Pre-curved design. Silicone fingertip for better grip. · Hook-and-loop wrist closure system. Shell: Air Mesh, Spandex, Clarino<sup>1</sup>



Extra clear lens in the box.

Speed Strap attachment system

compatible (sold separately).

Tear-off and roll-off compatible

Storing pouch included.

(sold separately).

MEN'S 286718 • XS-2XL • Orange (12), Green (70)



LADIES'

286719 - S-2XL - Orange (12), Pink (36)







### BAGS

#### **CAN-AM CARRIER DRY BACKPACK** BY OGIO

- Completely waterproof rolltop construction. · Reflective screen print.
- Airflow back panel keeps the rider cool.
- ·2-way adjustable sternum strap. · Dual-density shoulder straps for maximum comfort.
- Removable inner liner to allow bigger storage. · Laptop and tablet sleeves.
- Organization panel with 2 zippered pockets.
- Dimensions: 20.5" H x 10.5" W x 6.75" D (52 cm x 27 cm x 17 cm). 100% Polyester

#### 469544 • One size • Black (90)



#### **CAN-AM SLAYER GEAR BAG BY OGIO**

· Large main compartment with easy access to all gear · Large separated boot pocket. ·Zippered accessory pocket. · Easy grab handles for transport. · Detachable shoulder strap. ·Heavy-duty reinforced base. • Dimensions: 32" H x 16" W x 18" D (81 cm x 41 cm x 46 cm). 100% Polyester



#### **CAN-AM URBAN BACKPACK BY OGIO**

· Airport security friendly protective laptop compartment. Padded iPad<sup>™</sup>/tablet/e-reader pocket. · Dual side water bottle/accessory holders. · Fully adjustable ergonomic shoulder straps. Front pocket with 2 padded accessory compartments and slip pocket.

• Dimensions: 19.5" H x 13.5" W x 9.5" D (50 cm x 34 cm x 24 cm). 100% Polvester



## HOW TO

• Measure body in underwear. • Tape must be snug but not tight.

the fore the natu
Let the a slightl

the center of the back of your neck, along the length of your arm, to the wrist. (3) CHEST/ Measure under your arms, around BUST the fullest part of your chest.

(4) WAIST and body. 5 HIPS Across the fullest part of the seat.

1. Find your size.

SIZE	CODE	SIZE	CODE	SIZE	CODE	SIZE	CODE	SIZE	CODE	SIZE	CODE
One Size	00	XL	12	4XLT	19	6	25	13	33	7-8	54
XS	02	XLT	13	5XL	88	7	27	14	34	10-12	49
S	04	2XL	14	1	20	8	28	16	35	14-16	50
Μ	06	2XLT	15	2	21	9	29	18	78	S/M	72
MT	07	3XL	16	3	22	10	30	3-4	79	M/L	91
L	09	3XLT	17	4	23	11	31	5-6	52	L/XL	73
LT	10	4XL	18	5	24	12	32	6-8	48		

## RIDING GEAR & SPORTSWEAR MEN/8-5/7"- 6/0"

	XS	S	М	L	XL	2XL	3XL
Chest	34-36	36-38	38-41	41-45	45-49	49-53	53-57
Waist	28-30	30-32	32-35	35-39	39-43	43-48	48-52
Hips (seat)	34-36	36-38	38-41	41-45	45-49	49-53	53-57
Arm length	30	31	32	33	34	35	35
Inseam	31	31½	32	32	32	32	32

LADIES -3	3-30
	XS
Chest	32-34
Waist	26-28
Hips (seat)	35-37
Arm length	30
Inseam	30

MEN'S										
						LADIE	S'			
S M	1 L	. 1	XL	2XL	3XL	S	М	L	XL	2XL
Palm (inches) 31/4 31	1/2 4		4½	5	51/2	2¾	3	31/2	4	41⁄2
Palm (cm) 8 9	1	0	11.5	13	14	7	8	9	10	11.5

HELMETS						
MEN'S & LADIES'						
MEN 30LA	XS					
	7.5					
Head (inches)	20%-2					
Head (cm)	53-54					
JUNIOR						
oomon	s					
Head (inches)	1914 - 19					
Head (cm)	49–50					



#### JUNIOR X CRUSH HELMET

- Multi-density EPS liner.
- · Ultra-plush removable/washable liners.
- · Adjustable visor to protect from the elements.
- Multiple air vents help keep you cool and dry.
- · Lightweight double-D chin strap.
- · Ski-Doo and Can-Am stickers in the box · Optional breath deflector (sold separately).
- Shell ABS






#### New CAN-AM BUZZ GOGGLES BY SCOTT

•UV protected Lexan® lens. Hypoallergenic super-soft face foam Durable and anti-slip full strap attachment. Speed Strap attachment system compatible (sold separately). 448620 • One size • Black (90)







Silicon print at inner fingers

• Durable and anti-slip full strap attachment.

· Tear-off and roll-off compatible

(sold separately).



## MEASURE

· For best results, have someone else take measurements

· If measurements fall between two sizes, order the larger size.

(1) HEAD Around your head, from the center of head, above the ears and over ural bump at the back of the head.

> hands hang down on the side in tly bent position. Measure from

Measure around your natural waistline, keeping one finger between the tape

6 INSEAM Without shoes, from crotch to the floor.


#### WHAT CODE REPRESENTS YOUR SIZE?

2. The corresponding code is THE CODE you use to complete the part number on your order. Example: 440227\_\_90 Size: M = Code "06", therefore 4402270690

•			M	01/1	0)//
S	M	L	XL	2XL	3XL
34-36	36-39	39-42	42-46	46-50	50-54
28-30	30-33	33-36	36-40	40-44	44-48
37-39	39-42	42-45	45-49	49-53	53-57
30	301/2	31	31 1⁄2	32	33
30	30	30	30	30	30

	S	М	L	XL	2XL	3XL
1⁄4	21 5% - 22	223/8 - 223/4	231% - 235%	24 - 24%	24¾-251⁄8	25½ - 25%
	55-56	57-58	59-60	61-62	63-64	65-66

	М	L
3⁄4	20 - 20 7/8	207/8 - 211/4
	51–52	53–54
	51-52	00-04





6811-8

PARKING ONLY

## ALL-NEW CAN-AM LIFESTYLE COLLECTION

## MORE THAN 65 PRODUCTS FOR HOME, GARAGE, OFFICE, TRAVEL, AND MOBILE DEVICES!

Explore them all online at CAN-AMOFFROAD.COM or check out the selection instock at your favorite Can-Am dealer!





1. Versatile Backpack - \$96.99 2. Parking Only Sign (8" x 12") - \$21.99 3. Neon Clock - \$84.99 4. Faux Fur Throw - \$99.99 5. Metal Bar Stools - \$119.99 (Available in July) 6. Sport Bag - \$54.99 7. 40- Can Cooler Backpack - \$149.99 8. Fleece Throw - \$59.99 9. iPhone 7/8 Case - \$27.99 10. Aprons - \$14.99 (Available in July) 11. Luxury Notebook - \$58.99 12. Dog Leash and Collar - \$27.99 13. License Plate Frame - \$14.99 14. Welcome Mat (21" x 59") - \$79.99

Gan-am



## **KEEP YOUR** CAN-AM PERFORMING AT ITS BEST

Remember what made you fall for a Can-Am vehicle? Precisely engineered. Rigorously tested. Factory approved. The ultimate off-road experience continues with Genuine Can-Am Parts, whether installed by our trusted network of trained dealers—or Do-It-Yourself installed in the comfort of your garage.



## WITH PRIDE

You love to wrench on your ATVso we've got you covered with a listing of the most popular replacement parts (p.73)

\*For new genuine parts sold through BRP. Includes items installed by you or authorized **BRP** dealer. Other exclusions may apply, see complete limited warranty or contact your Can-Am off-road authorized dealer

10W-50

**ENGINE OIL CHANGE KIT** All-in-one solution that saves time and money. (p.79). ENGINE OIL CHANGE KIT

310W-50

#10W-50

**O-RING** (DRAIN PLUG) (Not illustrated) 420552280

**OIL FILTER** 

420256188

Complete Engine Oil Change Kit also available—See page 79.

#### SPARK PLUGS

715900352 • 450, 850, 1000R Engines 707000246 • 570, 650, 1000 Engin

709000330

Visit the can-amoffroad.com Parts & Maintenance section to see the full line of Genuine Can-Am Parts.

Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices regarding Genuine Can-Am Parts.

BY TWIN AIR<sup>†</sup>

715001333

O-RING

(OIL FILTER COVER) (Not illustrated) 420230920

## **REGULAR MAINTENANCE ENSURES YOUR CAN-AM ATV** PERFORMS AS YOU EXPECT

**KEEP AN EYE ON THESE COMPONENTS\*** 

🗸 OIL FILTER 420256188 **ENGINE OIL** SEE P.79 FUEL FILTER 709000330 AIR FILTER 707800371/715001333 CVT AIR FILTER 715003483/707001786 DRIVE BELT 422280360/715900024 BRAKE PADS SEE P.74 **BOOT KITS** SEE P.74 WHEEL BEARINGS 293350118 A-ARM BUSHINGS 703500875 BALL JOINTS 706202044/706202045 **SPARK PLUG** 715900352/707000246 BATTERIES 410301203/710000283 \*Refer to periodic maintenance chart for proper intervals.

## GENUINE CAN-AM MAINTENANCE PARTS

## PERFORMANCE AIR FILTER

•The best choice for the harshest conditions. Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow. Washable and reusable

#### PREMIUM AIR FILTER

- The best filter on the market, it prevents airborne contaminants from reaching your engine.
- Protects internal components against premature wear
- Genuine BRP air filters ensure absolute compatibility and a perfect fit.

707800371





**FUEL FILTER** (Not illustrated)

#### **CVT AIR FILTER**

(Not illustrated) 715003483 · G2, G2L 707001786 · G2S

See Oil & Maintenance Products at page 77.

PARTS & MAINTENANCE

## GENUINE CAN-AM REPLACEMENT PARTS

#### **PREMIUM DRIVE BELT**

 Premium drive belt calibrated to maximize your vehicle's performance. Aramid tensile cords used in construction for extra long life and dependability. · Built with distinctive durability can-am 🔊 features for off-road riding. 422280360 • 500CC & More 422280280 • 450CC & Less

#### **METALLIC BREAK PAD KIT**

· Built strong to last long - heavy-duty construction stands up to hard braking. Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes. Created specifically for use with Can-Am vehicles.

705600350 • Front Right 705600349 • Front Left 705600398 • Rear Left Outlander & Renegade X mr, MAX X-TP, MAX XT,

MAX PRO, MAX Limited 715900248 • Front & Rear Right 715900249 • Front Left

PERFORMANCE DRIVE BELT (100% PBO) **YUASA<sup>†</sup> BATTERIES** · Top of the line models from the leading preferred original equipment battery supplier in North America. G2S, G2 & G2L Designed for high-temperature robustness and prolonged durability. 410301203 • 18 Amps. Wet · (YTX20L-BS) DS (250, 90, 70, 50)



**ORGANIC BRAKE PAD KIT** 

Provides excellent braking capacity with

G2, G2L, G2S (Except X mr Models)

705601014 • Front & Rear Right

705601015 • Front & Rear Left

for dry conditions.

Chosen as the standard OEM on Can-Am ATVs

optimal efficiency, a great feel, and low noise.

#### PREMIUM HALF SHAFT

710000283 • 13 Amps. Wet · (YTX15L-BS)

 Premium quality design ideal for off-road, heavy-duty and low speed torque usage. · Includes CVs, Shaft and Boots with the best suited geometry for your Can-Am vehicle. Please contact your dealer or visit our online store at can-amoffroad.com for suggested fitment.



#### **PERFORMANCE HALF SHAFT**

· High-performance design ideal for off-road use with superior wheel power and acceleration for racing, dunes and desert riding.

 Includes CVs. Shaft and Boots with the best suited geometry for your Can-Am vehicle. Please contact your dealer or visit our online store at can-amoffroad.com for suggested fitment.

#### WHEEL BEARINGS **BALL JOINTS**

(Not illustrated) Sealed bearings for additional protection from water and dirt.



WHAT MAKES CAN-AM BELTS STAND OUT?



#### "I'VE TESTED EVERY BELT **OUT THERE, AND CAN-AM'S DRIVE BELTS ARE WHAT** I RELY ON TO WIN RACES."

#### PHIL BLURTON

2017-2018-2019 UTV World Championship Winner 2017-2018 BITD UTV Pro Production Turbo Champion

#### **Consistent quality**

We partner with the best manufacturers in the powersports industry to offer you unique drive belts with consistent quality.

#### **Prolonged durability**

The 100% cutting-edge PBO high-tensile strength polymer fiber construction offers hightemperature robustness and prolonged durability.

#### **Tested performance**

Our engineering teams have perfectly integrated and tested each drive belt to provide quick throttle response, powerful acceleration, top speed and consistent shifting performance.

### **Custom calibration**

We aim at delivering the highest levels of performance and longevity based on your vehicle's specific end-use and calibration.







· Robust design for off-road usage and sealed for prolonged durability 706202044 · Upper 706202045 • Lower



fiber construction

422280364

(Not illustrated)

<u>G2, G2S</u>

420430126 G2L (Outlander 450 & Outlander MAX 450) 420630292

**CTV GASKET COVER** 

· High-performance and unique belt technology.

· 100% cutting-edge PBO high-tensile strength polymer

PULLER/LOCKING TOOL

(Not illustrated) · Allows to spread the secondary clutch open for easy belt replacement. 529036098

#### CV BOOT KITS

· Come with clamps and grease. Genuine BRP CV Boot Kits ensure absolute compatibility and a perfect fit

G2, G2L, G2S (Except X mr Models) 705401345 • Front Wheel Side 705401346 • Front Differential Side 705501864 Rear ATV - X mr Models 705401354 • Front Wheel Side 705401355 • Front Differential Side 705501864 • Rear



#### **A-ARM BUSHING KIT**

#### This bushing kit includes 2 bushings, a sleeve and a wearplate, as illustrated. All you need to renew vour suspension A-Arms 703500875

INTENAN

ďD




Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices regarding Genuine Can-Am Parts.



#### **CAN-AM BELT** CONSTRUCTION **VS. COMPETITORS**

#### MODULUS & TENSILE STRENGTH

Based on Dynamometer testing, PBO surpasses Kevlar and Carbon Fiber materials in every way.



#### **DURABILITY COMPARISON** Compared to Can-Am's Performance Drive Belt.

100 74 51 47 Brand A Brand A C12 Brand B BRP

#### Hunter Miller 2018 GNCC XC1 PRO TURBO UTV CHAMPION Multiple-time short course champion Hunter Miller has won with XPS in all conditions.

Just like you count on Can-Am to help you make the most of every terrain, you can trust XPS to ensure the long-lasting performance and durability of your Rotax engine.

Dev



Phil Blurton 2017-2018-2019 UTV WORLD CHAMPIONSHIP WINNER

**Kyle Chaney** 

2017 TORC PRO MOD UTV CHAMPION

AND MULTI-TIME GNCC CHAMPION Experienced short course and cross country champion racer Kyle Chaney relies on XPS

to hold up to extreme race conditions

2017-2018 BITD UTV PRO PRODUCTION TURBO CHAMPION XPS lubricants are what get a naturally-gifted driver like Phil Blurton to the top of the podium. XPS oil undergoes rigorous worst-case scenario testing, and as a result is the trusted lubricant of many Can-Am racers.

## WHY XPS OIL IS THE PERFECT FIT FOR YOUR ROTAX ENGINE?

### **ULTIMATE PERFORMANCE**

Engineered to match the advanced performance of Rotax engines.

## **UNMATCHED RELIABILITY**

Get the most out of every mile on every ride.

## MADE FOR THIS

Developed with Rotax engines to deliver the best performance and lubrication in all conditions.



https://can-am.brp.com/off-road/xps.html

## **OILS & MAINTENANCE PRODUCTS**



#### 4T 10W-50 SYNTHETIC OIL

· Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines. · Formulated using carefully selected and strenuously tested base stocks and custom additives. · Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine. 779234 • 1 quart / 946 ml

#### 779235 • 1 US gallon / 3.785 L

Ж; ⊦50° C ⊦122° F

\*



#### 4T OW-40 SYNTHETIC OIL

 4-stroke engines powering recreational vehicles through mud, snow and water withstand a lot of high RPM and high load abuse, and this full synthetic oil is carefully engineered to provide the best protection for high-performance ATVs and SSVs Its wide operating temperature range, additional corrosion protection, and engineered detergency make this oil the best choice for any powersport vehicle with a 4-stroke engine used in cold weather

YOUR RIDE?

779139 • 1 quart / 946 ml 779140 • 1 US gallon / 3.785 L



#### **4T 5W-40 SYNTHETIC BLEND OIL**

 This synthetic blend is the oil of choice for owners of high-performance vehicles with a 4-stroke engine, including turbo or supercharged engines requiring carefully engineered friction. · Combining the finest quality synthetic base stocks with extreme-tested synthetic additives, it provides superior engine and transmission protection against rust and corrosion compared to conventional engine oils.

779133 • 1 quart / 946 ml 779134 • 1 US gallon / 3.785 L



### **GET THE OIL CHANGE KIT THAT KEEPS** YOUR ROTAX ROARING

Protecting your investment by changing your engine oil at regular intervals should be at the top of your maintenance to-do list. To make the task easier, we developed the XPS Engine Oil Change Kit for an all-in-one solution that saves time and money.

https://can-am.brp.com/off-road/xps.html

#### **ENGINE OIL CHANGE KIT**

• Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money. Includes XPS Synthetic or Synthetic Blend Oil, oil filter, o-rings and washer. 779256 - Synthetic Blend (5W-40 450 cc or less (except Rally and DS ATVs)) 779257 • Full Synthetic (0W-40 450 cc or less (except Rally and DS ATVs))

779258 • Synthetic Blend (5W-40 500 cc or more V-twin engine) 779259 • Full Synthetic (0W-40 500 cc or more V-twin engine) 779252 • Full Synthetic (10W-50 500 cc or more V-twin engine) 779260 • Synthetic Blend (5W-40 900 ACE) 779261 • Full Synthetic (10W-50 900 ACE)

#### SYNTHETIC GEAR OIL

· Uses custom additives to provide the best performance in Visco-Lok & Smart-Lok differentials. • Allows higher loads, superior shear stability and reduced oxidation Exceptional wear protection and superior performance at all operating temperatures. 75W-90

779158 • 1 quart / 946 ml 75W-140 779160 • 1 quart / 946 ml



#### ANTI-CORROSIVE LUBRICANT

 Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion. · It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed. 779168 • 12 oz. / 340 g

·Superior heat transfer.

Note: Please contact your dealer or visit our online store at can-amoffroad.com for suggested retail prices of XPS products.







Love to DIY? Save money, time, and effort: everything you need for an oil change is in this box.

#### SYNTHETIC GREASE SUSPENSION

· Designed to work specifically with the components found in Can-Am vehicle suspensions. It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions



#### **EXTENDED LIFE PRE-MIXED COOLANT**

·XPS Antifreeze/Coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems

- · Long-life, 5-year formula specially
- formulated for BRP vehicles.
- · Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).

779150 • 1 guart / 946 ml



79

PARTS & MAINTENANCE

#### DOT4 BRAKE FLUID

 Meets or exceeds all DOT3 and DOT4 brake fluid requirements. High-temperature formula resists fade, and also conditions seals and o-rings in braking system. 779151 • 12 oz. / 355 ml

#### **HIGH PERFORMANCE** SUSPENSION FLUID

· A synthetic, fade-free formula for servicing FOX<sup>†</sup> shocks. ·Specially formulated for high-demand or racing application. · Ultra high VI shock oil. Engineered viscosity for optimized performance with FOX<sup>†</sup> shocks valving. 779153 • 1 quart / 946 ml



**CARBON FREE FUEL** 

EN

**B MAINT** 

OILS


#### TREATMENT · Combination of a fuel treatment and a fuel system cleaner that can be used periodically to restore lost starting or throttle performance, as well as maintain fuel system integrity and keep internal engine parts clean. It treats fuel for storage and addresses the moisture problems inherent in today's Ethanol-blended fuels, keeping ferrous and soft metal parts clean and free of corrosion. Uses patented, state-of-the-art additives. · Cleans valves, sticky rings and combustion chamber.

779169 • 12 oz. / 355 ml

#### **SPRAY CLEANER & POLISH**

· Removes dirt, grease, road grime and water marks easily and quickly. Non petroleum based formula will not harm plastic finishes. · Protects against UV and ozone damage and resists dirt accumulation. · It can be used on painted surfaces, fiberglass, chrome and plastics. 219702844 • 12 oz. / 340 g

**MICROFIBER TOWELS** • The latest in high-quality detailing towels.



#### **RACING BRAKE FLUID**

racing applications. 779152 • 12 oz. / 355 ml

system components.

779171 • 8 oz. / 236 ml

FUEL STABILIZER

• Exceeds DOT4 brake fluid requirements for extreme conditions and competition use. • Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade. ·Will not harm seals or braking system components. Should be added only to a clean/unfilled system to avoid dilution and diminished performance. Low-moisture formula slows water vapor absorption through multiple heat cycles. Recommended for use in Ski-Doo and Can-Am

· Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard

starting, throttle hesitation and poor run quality.

· Prevents problems associated with E10 fuels.

· Ethanol attracts moisture, and this product contains powerful anti-corrosion additives to protect fuel







#### FUEL TREATMENT CARBURETOR CLEANER

 Complete fuel treatment specially formulated to prevent small engine problems caused by Ethanol-blended fuels.

• It removes fuel system gum and varnish that may have accumulated during storage, stabilizes fuel against breakdown for 12 months or more, and adds corrosion protection from moisture for short- and long-term storage.

• It also helps restore throttle response and easy starting. • It can be used periodically to maintain fuel system integrity, keep carburetor jets clean, and also combat moisture problems caused by Ethanol-blended fuels to keep ferrous and soft metal parts clean and free of corrosion.


779172 • 12 oz. / 355 ml

#### **OFF-ROAD VEHICLE WASH**

· A biodegradable non-toxic cleaner that removes mud and dried-on dirt from your off-road vehicle. · Whether grimy from the track, the woods or the fields, this cleaner will leave your off-road vehicle sparkling. • When used as directed, XPS Wash is safe for all off-road vehicle finishes.

219701702 • 32 oz. / 946 ml





 Pack of 2. 219701759

#### EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM











